

USGA: Non-Conforming Driver List

Effective November 8, 2010

Manufacturer	Product Name	Lofts	Identification Markings
Action International	Bio-Power Bio Dream 360	Strong, Mild, Soft	<p>Sole: BIO POWER, (dual line) 360 (dual line), MILD, AS ROLL β-TITANIUM, CUSTOM MADE BY MSG, BIO DREAM</p> <p>Crown: (arrow alignment mark)</p> <p>⌘ View Photo</p>
Acushnet Japan, Inc.	Titleist 975 J·VS H·CR	<p>7.5°, 8.5°, 9.5°, 10.5°, 11.5°</p> <p>(click "view photo" for conforming version)</p>	<p>Sole: (loft), Titleist, (elongated triangle) (elongated triangle), PRO·TITANIUM, 975J·VS</p> <p>Face: H·C_R</p> <p>Crown: (triangle and line alignment mark)</p> <p>⌘ View Photo</p>
Acushnet Japan, Inc.	Titleist 975 L·FE H·CR	<p>7.5°, 8.5°, 9.5°, 10.5°, 11.5°</p> <p>(click "view photo" for conforming version)</p>	<p>Sole: (loft), Titleist, (elongated triangle) (elongated triangle), PRO·TITANIUM, 975L·FE</p> <p>Face: H·C_R</p> <p>Crown: (triangle and line alignment mark)</p> <p>⌘ View Photo</p>
Acushnet Japan, Inc.	Titleist 983K H·CR	<p>8.5°, 9.5°, 10.5°, 11.5°</p> <p>(click "view photo" for conforming version)</p>	<p>Sole: (loft), Titleist, (segmented triangle) (segmented triangle), TITANIUM 983K, H·C_R</p> <p>Crown: (triangle and line alignment mark)</p> <p>⌘ View Photo</p>
Acushnet Company	King Cobra 400 SZ Tour Unlimited	<p>8.5°, 9.5°</p> <p>(click "view photo" for conforming version)</p>	<p>Sole: (loft), KING, cobra, 400 SZ, TOUR UNLIMITED, (nine punchmarks), 33.8 CM² SWEET ZONE/HI-COR, MILLED, TITANIUM</p> <p>Crown: (Cobra logo alignment mark)</p>

☛ [View Photo](#)

Acushnet Company King Cobra 400 SZ Unlimited 7.5°,9.0°,10.5°,12.0° (click "view photo" for conforming version)

Sole: (loft), KING, cobra, 400 SZ, UNLIMITED, (nine punchmarks), 33.8 CM² SWEET ZONE/HI-COR, MILLED, TITANIUM
Crown: (Cobra logo alignment mark)

☛ [View Photo](#)

Acushnet Company King Cobra 414 Comp Unlimited 7.5°,9.0°,10.5°,12.0° (click "view photo" for conforming version)

Sole: (loft), COMPOSITE TOP, KING, cobra, 414 COMP, UNLIMITED, 35.0 CM² SWEET ZONE/HI-COR, MILLED, TITANIUM
Crown: (Cobra logo alignment mark)

☛ [View Photo](#)

Acushnet Company King Cobra 454 Comp Unlimited 7.5°,9.0°,10.5°,12.0° (click "view photo" for conforming version)

Sole: (loft), COMPOSITE TOP, KING, cobra, 454 COMP, UNLIMITED, 41.0 CM² SWEET ZONE/HI-COR, MILLED, TITANIUM
Crown: (Cobra logo alignment mark)

☛ [View Photo](#)

Acushnet Company King Cobra HS9 F/ST 460 (Version 1) 9° (RH Only) (click "view photo" for conforming version)

Sole: (shield insert), (loft), (line), F/ST, KING, cobra, HS9, (shield insert)
Toe: F/ST SPEED RANGE 125-155 mph
Crown: (Cobra logo alignment mark)

☛ [View Photo](#)

Acushnet Company King Cobra Unlimited SS 370 (Version 1) 7.5°,9°,10.5°,12° (click "view photo" for conforming version)

Sole: (loft), KING, cobra, UNLIMITED SS, (line), 370, BETA TITANIUM, .860 C.O.R. / 26.0 CM² SWEET SPOT
Crown: (Cobra logo alignment mark)

☛ [View Photo](#)

Acushnet Company King Cobra Unlimited SS 370 (Version 2) 7.5°,9°,10.5°,12°

Sole: (loft), KING, cobra, UNLIMITED SS, (line), 370, BETA TITANIUM, .860 C.O.R. / 27.0 CM² SWEET SPOT
Crown: (Cobra logo alignment mark)

Acushnet Company	King Cobra Unlimited SS 370 (Version 3)	7.5°,9°,10.5°,12° (click "view photo" for conforming version)	<p>☛ View Photo</p> <p>Sole: (loft), KING, cobra, UNLIMITED SS, (line), 370, BETA TITANIUM, HI-C.O.R. / 26.0 CM² SWEET SPOT Crown: (Cobra logo alignment mark) ☛ View Photo</p>
Acushnet Company	King Cobra Unlimited SS 370 (Version 4)	7.5°,9°,10.5°,12°	<p>Sole: (loft), KING, cobra, UNLIMITED SS, (line), 370, BETA TITANIUM, HI-C.O.R. / 27.0 CM² SWEET SPOT Crown: (Cobra logo alignment mark) ☛ View Photo</p>
Acushnet Company	King Cobra Unlimited SS 430	7.5°,9°,10.5°	<p>Sole: (loft), KING, cobra, UNLIMITED SS, (line), 430, BETA TITANIUM, HI-C.O.R. / 27.0 CM² SWEET SPOT Face: DAT 55G+ Crown: (Cobra logo alignment mark) ☛ View Photo</p>
Acushnet Company	King Cobra Unlimited SZ 440	7.5°,9°,10.5°, 12°	<p>Sole: (loft), KING, cobra, 440 SZ, UNLIMITED, (nine punchmarks), 37.7 CM² SWEET ZONE/HI-COR, MILLED TITANIUM Crown: (Cobra logo alignment mark) ☛ View Photo</p>
Adams Golf	GT 363-R	9°,10°,11°	<p>Sole: (triangle logo), ADAMSGOLF, (line), GT (dot), TITANIUM 363-R, TIGHT LIES, (loft) Face: .860, STANDARD Crown: (triangle alignment mark) ☛ View Photo</p>
akia Golf Co.	Dream Tour SV-400 Tour Spec	9°	<p>Sole: DR, Dream Tour, SV-400 (curved line), akia, (line), TOUR SPEC, (circular weight), (circular weight), (loft) Toe: DREAM (w/ triangle in M), TOUR ☛ View Photo</p>

Akira Products Co., Ltd.	Akira 375 L.C.R.	9°	<p>Sole: (Akira logo) AKIRA, 375, (loft) L.C.R., (line), FORGED</p> <p>Toe: (Akira logo)</p> <p>※ View Photo</p>
Akira Products Co., Ltd.	Akira 400 L.C.R.	10°	<p>Sole: (Akira logo) AKIRA, 400, (loft) L.C.R., (line), FORGED</p> <p>Toe: (Akira logo)</p> <p>※ View Photo</p>
Akira Products Co., Ltd.	Akira 425 L.C.R.	11°	<p>Sole: (Akira logo) AKIRA, 425, (loft) L.C.R., (line), FORGED</p> <p>Toe: (Akira logo)</p> <p>※ View Photo</p>
Akira Products Co., Ltd.	Akira 415 Forged Titanium	10°	<p>Sole: (Akira logo) AKIRA, (line), 415, (vertical line), FORGED TITANIUM</p> <p>※ View Photo</p>
Akira Products Co., Ltd.	Akira 425 Forged Titanium	11°	<p>Sole: (Akira logo) AKIRA, (line), 425, (vertical line), FORGED TITANIUM</p> <p>※ View Photo</p>
AMC Co., Ltd.	Decatan -Z-	10.5°	<p>Sole: 1 (loft), DECATAN -Z-, 460 TANJYAKU, FORGED TITAN, a.m.c.</p> <p>※ View Photo</p>
AMC Co., Ltd.	Charger X'-II	10.5°	<p>Sole: 1 (loft), a.m.c, CHARTER X'-II, EASY TO HIT, 460-Ti</p> <p>Face: 15.3.3.3</p> <p>※ View Photo</p>
Amer Sports UK Ltd.	Wilson Deep Red Forged Ti 400	10.5°	<p>Sole: (W logo), DEEP RED, TI, FORGED, 400, (line), (loft)</p> <p>※ View Photo</p>
Ashton Golf, LLC	X-1 455	6.5°, 7.5° (click "view photo" for conforming version)	<p>Sole: (loft), ((ASHTON, X₁) over blasted AG logo), Moly Titanium</p> <p>Crown: (AG logo alignment mark)</p> <p>※ View Photo</p>
AT Golf, Inc.	H·R·G 2	9°	<p>Sole: TURBO-POWERTM (logo), H·R·G 2, (loft), FORGED TITANIUM, TRUE FACE DENSITY, T·F·D, SERIES</p> <p>Crown: (alignment arrow)</p> <p>※ View Photo</p>

AT Golf, Inc.	Turbo-Plus TM 588	9.5°	Sole: (oval graphic) TURBO-PLUS™, TM588 (line under 88), (loft) Crown: (alignment arrow) * View Photo
Bang Golf	Big Big Bang 525cc	6°,9°,10°	Sole: BanG®, GOLF, 525, BIG BIG BANG, 1 (loft), SP700, eW, BETA TITANIUM * View Photo
Bang Golf	Dark Matter 400 Cryo eW	4°,5°,6°	Sole: BanG, GOLF, DARK MATTER, 400, Cryo eW Titanium, (loft) * View Photo
Bang Golf	Bang-O-Matic	7.5° (click "view photo" for conforming version)	Sole: BanG®, GOLF, BANG-O-MATIC BANG-O-MATIC (target graphic), (loft w/o degree symbol), (FA, SYSTEM in rectangle) * View Photo
Bang Golf	Bang-O-Matic HL (LH) (Version 3)	14°	Sole: BanG®, GOLF, HL, BANG-O-MATIC BANG-O-MATIC (target graphic), (FA, SYSTEM in rectangle) Crown: (three recessed curved lines) * View Photo
Bang Golf	Mellow Yellow 420 (LH) (Version 1)	10.5°	Sole: BanG, GOLF, MELLOW, 420, YELLOW, (loft) * View Photo
Bang Golf	Mellow Yellow 420 HL (LH) (Version 1)	14°	Sole: BanG, GOLF, MELLOW, 420, YELLOW, HL * View Photo
Bang Golf	Mellow Yellow 420 Squared (LH)	12°	Sole: BanG, GOLF, MELLOW, 4602, YELLOW, (FA, SYSTEM in box),(loft) * View Photo
Bang Golf	The Bang Storm	12°	Sole: THE, BanG STORM (w/ large S logo and O hurricane graphic), C8457, (loft) * View Photo

Bang Golf	The Bang Storm HL	14°	<p>Sole: THE, BanG STORM (w/ large S logo and O hurricane graphic), C8457, HL</p> <p>※ View Photo</p>
Bang Golf	The Bang Storm (LH)	12°	<p>Sole: THE, BanG STORM (w/ large S logo and O hurricane graphic), C8457, (loft)</p> <p>※ View Photo</p>
Bang Golf	The Bang Storm HL (LH)	14°	<p>Sole: THE, BanG STORM (w/ large S logo and O hurricane graphic), C8457, HL</p> <p>※ View Photo</p>
Bang Golf	The Bang Storm Offset	8.5°,9.5°,10.5°,12°	<p>Sole: THE, BanG STORM (w/ large S logo and O hurricane graphic), FA457, (loft)</p> <p>Toe: OFF (with O circle graphic), Slice, Anti, SET</p> <p>※ View Photo</p>
Bang Golf	The Bang Storm Offset HL	14°	<p>Sole: THE, BanG STORM (w/ large S logo and O hurricane graphic), FA457, HL</p> <p>Toe: OFF (with O circle graphic), Slice, Anti, SET</p> <p>※ View Photo</p>
Bang Golf	The Bang Storm Offset (LH)	9.5°,10.5°	<p>Sole: THE, BanG STORM (w/ large S logo and O hurricane graphic), FA457, HL</p> <p>Toe: OFF (with O circle graphic), Slice, Anti, SET</p> <p>※ View Photo</p>
Bang Golf	The Bang Storm Offset HL (LH)	14°	<p>Sole: THE, BanG STORM (w/ large S logo and O hurricane graphic), FA457, HL</p> <p>Crown: OFF (with O circle graphic), Slice, Anti, SET</p> <p>※ View Photo</p>
Blue Hawk Golf	XT30 460cc (Version 1)	8.5°,9.5°,10.5° (click "view photo" for conforming version)	<p>Sole: (loft), BLUE HAWK, (line) GOLF (line), XT30, 460cc</p> <p>Toe: (hawk graphic on curve)</p> <p>Crown: (alignment mark)</p> <p>Face: Beta Ti</p> <p>※ View Photo</p>
Blue Hawk	XT30 450cc	10.5°	<p>Sole: (loft), BLUE HAWK, (line)</p>

Golf			GOLF (line), XT30, 450cc Toe: (hawk graphic on curve) Crown: (alignment mark) Face: Beta Ti * View Photo
Bridgestone Sports Co., Ltd.	Access VP-02	10.5°,11.5°,12.5°	Sole: 1, ·, ACCESS, HI-DRAW, (sideways S) VP-02 (sideways S), DESIGNED BY, YUJI NUMAZAWA, BRIDGESTONE, (HI-DRAW CONCEPT and HD logo on oval insert) Back: ··HYPER ARROW SOLE·· Crown: (alignment mark) * View Photo
Bridgestone Sports Co., Ltd.	Access VP-X	10.5°,11.5°,12.5°	Sole: 1, ·, ACCESS, vp-x, (...Y.N DESIGN... on oval), (HI-DRAW CONCEPT and HD logo on oval insert) Crown: (alignment mark) * View Photo
Bridgestone Sports Co., Ltd.	Beam SD+	9°,10°,11°	Sole: BEAM (inset in oval), STREAM SOLE, (large punchmark), 1, (loft), (SD+ in triangular recess) Back: Bridgestone Crown: (arrow alignment mark) * View Photo
Bridgestone Sports Co., Ltd.	Beam CL	12°,13°	Sole: (BEAM inset in oval), STREAM SOLE, (large punchmark), 1, (loft), (CL in triangular recess) Back: Bridgestone Crown: (arrow alignment mark) * View Photo
Bridgestone Sports Co., Ltd.	Beam CL HR	12°,13°	Sole: (loft) 1, BEAM CL, (line), BRIDGESTONE, (line) BEAM'S IDEAL (line), FULL SWEET SPOT, DESIGN, 360HR Crown: (alignment mark) * View Photo
Bridgestone Sports Co., Ltd.	Beam Z HR	9.5°,10.5°	Sole: (loft) 1, BEAM Z, (line), BRIDGESTONE, (line) BEAM'S IDEAL (line), FULL SWEET SPOT, DESIGN, 430HR Crown: (alignment mark) * View Photo

Bridgestone Sports Co., Ltd.	Break The Mode Joe Spec.	10°	<p>Sole: B::M, BREAK THE MODE, JOE SPEC. , FORGED TITANIUM, DRIVER, LOFT, (loft) (loft is surrounded by 3 triangles)</p> <p>Back: BRIDGESTONE</p> <p>※ View Photo</p>
Bridgestone Sports Co., Ltd.	Newing NS-03 EZ-Drive	9°,10°,11°	<p>Sole: 1, LOFT (loft), Newing, NS-03, Bridgestone, EZ-DRIVE</p> <p>Crown: (arrow alignment mark)</p> <p>※ View Photo</p>
Bridgestone Sports Co., Ltd.	Newing EZ-Drive 501D	9.5°,10.5°	<p>Sole: Newing, EZ-Drive, 501-D, 1, LOFT (loft)</p> <p>Back: BRIDGESTONE</p> <p>Crown: (arrow alignment mark)</p> <p>※ View Photo</p>
Bridgestone Sports Co., Ltd.	Tourstage MR-23 US Spec.	10° (click "view photo" for conforming version)	<p>Sole: DRIVER, LOFT (loft), TOURSTAGE, MR-23, (diamond), U.S. SPEC., BRIDGESTONE</p> <p>Back: AS-ROLLED, NEO β TITANIUM, FACE</p> <p>※ View Photo</p>
Bridgestone Sports Co., Ltd.	Tourstage MR-23 US Drive	9.5°,10.5° (click "view photo" for conforming version)	<p>Sole: (Bridgestone logo), TOURSTAGE, MR-23, (diamond), U.S. DRIVE, DRIVER, (loft)</p> <p>Back: BRIDGESTONE</p> <p>Toe: (Bridgestone logo) TOURSTAGE</p> <p>※ View Photo</p>
Bridgestone Sports Co., Ltd.	Tourstage RV-10 Type 330	9°,10° (click "view photo" for conforming version)	<p>Sole: TOURSTAGE, ATHLETE SPIRIT, RV-10, -TYPE 330-, BRIDGESTONE, DRIVER, (loft), (V mark)</p> <p>※ View Photo</p>
Bridgestone Sports Co., Ltd.	Tourstage RV-10 Type 360	9°,10°,11° (click "view photo" for conforming version)	<p>Sole: TOURSTAGE, ATHLETE SPIRIT, RV-10, -TYPE 360-, BRIDGESTONE, DRIVER, (loft), (V mark)</p> <p>※ View Photo</p>
Bridgestone Sports Co., Ltd.	Tourstage RX-1 Type Prospec	8°,9° (click "view photo" for conforming version)	<p>Sole: TOURSTAGE, ATHLETE SPIRIT, PROSPEC, -RX-1 TYPE 275-, 1, BRIDGESTONE</p> <p>Back: LOFT, (loft), (arrow</p>

graphic)

Toe: (Bridgestone logo)

※ [View Photo](#)

Bridgestone Sports Co., Ltd.	Tourstage Synergy	9.5°,10.5°,12.5°	Sole: TOURSTAGE, SYNERGY, FOUR PIECE, CONSTRUCTION, (loft), (circular weight insert) Back: BRIDGESTONE ※ View Photo
Bridgestone Sports Co., Ltd.	Tourstage Synergy Deep	9.5°	Sole: TOURSTAGE, SYNERGY, (two dots) DEEP (2 dots), (loft), (circular weight insert) Back: BRIDGESTONE, FOUR PIECE, CONSTRUCTION ※ View Photo
Bridgestone Sports Co., Ltd.	Tourstage Synergy 420	9.5°,10.5°,11.5°	Sole: OPTIMUM CONSTRUCTION, SYNERGY, 1, (loft) (Bridgestone on insert) Toe: (Tourstage logo), TOURSTAGE ※ View Photo
Bridgestone Sports Co., Ltd.	Tourstage Synergy 460	10.5°	Sole: 460, OPTIMUM CONSTRUCTION, SYNERGY, 1, (loft) (Bridgestone on insert) Toe: (Tourstage logo), TOURSTAGE ※ View Photo
Bridgestone Sports Co., Ltd.	Tourstage V700	8°,9°,10°,11°	Sole: (curved line and triangle logo), TOURSTAGE, ATHLETE SPIRIT, V700, GRAVITY CONTROL DESIGN, BRIDGESTONE, 1 Back: AS-ROLLED, NEO β TITANIUM, LOFT (loft), DELTA SOLE ※ View Photo
Bridgestone Sports Co., Ltd.	Tourstage V800	9°,11°	Sole: (curved line and triangle logo), TOURSTAGE, ATHLETE SPIRIT, V800, GRAVITY CONTROL DESIGN, 1 (in circle), MOON SOLE Back: BRIDGESTONE, (circular weight insert), SAT-2041, β TITANIUM FACE, LOFT (loft) ※ View Photo

Bridgestone Sports Co., Ltd.	Tourstage V34 CL	12.5°,13.5°	<p>Sole: TOURSTAGE, V34 (line under 34), CL, BRIDGESTONE, (loft)</p> <p>Back: (three circular weight inserts with three punchmarks)</p> <p>Toe: (Bridgestone logo), TOURSTAGE</p> <p>Crown: (V alignment mark)</p> <p>※ View Photo</p>
Bridgestone Sports Co., Ltd.	Tourstage V36	9.5°,10.5°,11.5°,12.5°	<p>Sole: TOURSTAGE, V36 (line under 36), BRIDGESTONE, (loft)</p> <p>Back: (three circular weight inserts with three punchmarks)</p> <p>Toe: (Bridgestone logo), TOURSTAGE</p> <p>Crown: (V alignment mark)</p> <p>※ View Photo</p>
Bridgestone Sports Co., Ltd.	Tourstage V40	9.5°,10.5°,11.5°,12.5°	<p>Sole: TOURSTAGE, V40 (line under 40), BRIDGESTONE, (loft)</p> <p>Back: (three circular weight inserts with three punchmarks)</p> <p>Toe: (Bridgestone logo), TOURSTAGE</p> <p>Crown: (V alignment mark)</p> <p>※ View Photo</p>
Bridgestone Sports Co., Ltd.	Tourstage ViQ (HR)	9.5°,10.5°,HT	<p>Sole: (Tourstage logo), TOURSTAGE, ViQ, (loft), (circular weight insert)</p> <p>Heel: BRIDGESTONE</p> <p>Crown: (V alignment mark)</p> <p>※ View Photo</p>
Bridgestone Sports Co., Ltd.	Tourstage ViQ CL	12.5°,13.5°	<p>Sole: (Tourstage logo), TOURSTAGE, ViQCL(line under iQ), (loft), (circular weight insert), Turbo Rubber Insert (circular weight insert)</p> <p>Back: BRIDGESTONE</p> <p>Crown: (V alignment mark)</p> <p>※ View Photo</p>
Bridgestone Sports Co., Ltd.	Tourstage ViQ CL HR	12.5°,13.5°	<p>Sole: (Tourstage logo), TOURSTAGE, ViQ (line under iQ), CL, (loft), (circular weight insert)</p> <p>Heel: BRIDGESTONE</p> <p>Crown: (V alignment mark)</p> <p>※ View Photo</p>

Bridgestone Sports Co., Ltd.	Tourstage ViQD	9.5°,10.5°	<p>Sole: (Tourstage logo), TOURSTAGE, ViQD (line under iQ), (loft), (circular weight insert), Turbo Rubber Insert (circular weight insert)</p> <p>Back: BRIDGESTONE</p> <p>Toe: (Bridgestone logo), TOURSTAGE</p> <p>※ View Photo</p>
Bridgestone Sports Co., Ltd.	Tourstage ViQD	9.5°,10.5°, HT	<p>Sole: (Tourstage logo), TOURSTAGE, ViQD (line under iQ), (loft), (circular weight insert), Turbo Rubber Insert (circular weight insert)</p> <p>Back: BRIDGESTONE</p> <p>Toe: (Bridgestone logo), TOURSTAGE</p> <p>Crown: (V alignment mark)</p> <p>※ View Photo</p>
Bridgestone Sports Co., Ltd.	Tourstage ViQD 425	9.5°,10.5°, HT	<p>Sole: (Tourstage logo), TOURSTAGE, ViQD (line under iQ), (loft), (circular weight insert), Turbo Rubber Insert, 425 (circular weight insert)</p> <p>Back: BRIDGESTONE</p> <p>Toe: (Bridgestone logo), TOURSTAGE</p> <p>Crown: (V alignment mark)</p> <p>※ View Photo</p>
Bridgestone Sports Co., Ltd.	Tourstage ViQD 450	9.5°,10.5°, HT	<p>Sole: (Tourstage logo), TOURSTAGE, ViQD (line under iQ), (loft), (circular weight insert), Turbo Rubber Insert, 450 (circular weight insert)</p> <p>Back: BRIDGESTONE</p> <p>Toe: (Bridgestone logo), TOURSTAGE</p> <p>Crown: (V alignment mark)</p> <p>※ View Photo</p>
Bridgestone Sports Co., Ltd.	Tourstage X-DRIVE Type 350	8°,9°,10° (click "view photo" for conforming version)	<p>Sole: (logo), TOURSTAGE, X-DRIVE, TYPE 350, FORGED TITANIUM, 1 (loft), BRIDGESTONE</p> <p>Toe: (Bridgestone logo), TOURSTAGE</p> <p>※ View Photo</p>
Bridgestone Sports Co., Ltd.	Tourstage X-DRIVE 405	9,5°,10.5°	<p>Sole: (logo), TOURSTAGE, X-DRIVE, (loft), TURBO RUBBER</p>

Ltd.	HR		TECHNOLOGY Back: (square)405(square)HR Heel: BRIDGESTONE Toe: (logo) TOURSTAGE ※ View Photo
Bridgestone Sports Co., Ltd.	Tourstage Whopper	10°,11°	Sole: TOURSTAGE, Whopper, 420, BRIDGESTONE, DRIVER, (loft), (V mark) ※ View Photo
Callaway Golf Company	Big Bertha+	9°,10°,11°,13° (click "view photo" for conforming version)	Sole: Callaway, Golf, (curved line), BIG BERTHA+, (line), TITANIUM, (curved line), (loft) Crown: (Chevron logo alignment mark) ※ View Photo
Callaway Golf Company	Big Bertha 460 HT (Version 2)	13° (click "view photo" for conforming version)	Sole: (loft)HT, (Chevron logo), BIG BERTHA (with raised dash in the B in "BIG"), (line), 460 Back: Callaway, GOLF Crown: (Chevron logo alignment mark) ※ View Photo
Callaway Golf Company	E.R.C Forged Titanium Driver	8°,9°,10°,11°,12°	Sole: E • R • C, FORGED, TITANIUM, (loft), Callaway, GOLF Crown: (alignment mark) ※ View Photo
Callaway Golf Company	E.R.C II Forged Titanium Driver	7°,8°,9°,10°,11°,12°,12.5°	Sole: BIG BERTHA, E •, R •, C, II, (loft), FORGED TITANIUM, VARIABLE FACE THICKNESS, Callaway, GOLF Crown: (alignment mark) ※ View Photo
Callaway Golf Company	E.R.C II Pro Spec	8.5°,9.5°,10.5°	Sole: BIG BERTHA, E •, R •, C, II, (loft), PRO SPEC, FORGED TITANIUM, VARIABLE FACE THICKNESS, Callaway, GOLF Crown: (alignment mark) ※ View Photo
Callaway Golf Company	E.R.C.+ Fusion	8.5°,9.5°,9°,10°,11°,12°,13° (click "view photo" for conforming version)	Sole: E •R •C+, (line), FUSION, (line), (loft), (Chevron logo insert) Back: Callaway, Golf Crown: (arrow alignment mark) ※ View Photo

Callaway Golf Company	E.R.C. Hot	9°,10°,11°,13°	<p>Sole: (curved line), E•R•C, HOT, (loft), (Chevron logo insert) Toe: (line), FUSION, (line), TECHNOLOGY Back: Callaway, Golf Crown: (Chevron logo alignment mark) ✻ View Photo</p>
Callaway Golf Company	E.R.C. Hot HS	8°,9°	<p>Sole: (curved line), E•R•C, HOT, (loft)HS, (Chevron logo insert), (triangle)HS(triangle) Toe: (line), FUSION, (line), TECHNOLOGY Back: Callaway, Golf Crown: (Chevron logo alignment mark) ✻ View Photo</p>
Callaway Golf Company	Great Big Bertha II+	8.5°,9°,9.5°, 10°,11°,12° (click "view photo" for conforming version)	<p>Sole: (loft), GREAT BIG BERTHA, (two curved lines)II+ (two lines), driver Back: (plastic insert with Callaway, Golf) Crown: (arrow alignment mark) ✻ View Photo</p>
Callaway Golf Company	Great Big Bertha II+ 415	9°,10°,11° (click "view photo" for conforming version)	<p>Sole: (loft), GREAT BIG BERTHA, (two curved lines)II+ (two lines), 415, driver Back: (plastic insert with Callaway, Golf) Crown: (arrow alignment mark) ✻ View Photo</p>
Callaway Golf Company	Great Big Bertha II+á	9°,10°,11°,13°	<p>Sole: (vertical curved line), (loft), GREAT BIG BERTHA, (two curved lines)II(two lines), +á Back: (plastic insert with Callaway, Golf) Crown: (arrow alignment mark) ✻ View Photo</p>
Callaway Golf Company	X-18	9°,10°,12°	<p>Sole: Callaway, Golf, X18, (loft) Toe: CORRECT ADDRESS, (logo), SOLE DESIGN Back: (line), FUSION, (line), TECHNOLOGY Face: X Crown: (Chevron logo alignment mark)</p>

Central Kosho Co., Ltd.	Spalding Tour Edition 385 Ti	10.5°	<p>☛ View Photo</p> <p>Sole: 1 (loft), TOUR EDITION, (five lines), 385Ti, TOUR WAVE, CONTROL, (oval insert with TUNGSTEN BALANCE) Toe: (S and laurel logo), SPALDING</p> <p>☛ View Photo</p>
Chujyo Co., Ltd.	Kamui 320	10°	<p>Sole: KAMUI, (320 within flag graphic), DIRECTION & DISTANCE, 1 Toe: (flag graphic), TITAN FORGED, LOFT (loft)</p> <p>☛ View Photo</p>
Chujyo Co., Ltd.	Kamui Pro Model 320	11°	<p>Sole: KAMUI, PRO MODEL, (320 within flag logo), DIRECTION & DISTANCE, 1 Toe: (flag logo), TITAN FORGED, LOFT (loft)</p> <p>☛ View Photo</p>
Chujyo Co., Ltd.	Kamui Pro V	10°	<p>Sole: KAMUI, PRO V, (flag logo), KAMUI, 1 Toe: (flag logo), TITAN FORGED, LOFT (loft)</p> <p>☛ View Photo</p>
Chujyo Co., Ltd.	Kamui Typhoon Pro-03 (Version 1)	9°	<p>Sole: KAMUI, T(y)phoon, ro-03, 455FTI LOFT (loft), (logo) Face: (logo)</p> <p>☛ View Photo</p>
Chujyo Co., Ltd.	Typhoonpro 380	10°,11°	<p>Sole: Typhoonpro, 380, DRIVER (loft), (flag graphic), KAMUI, TITANIUM</p> <p>☛ View Photo</p>
Cleveland Golf	HiBore XL	10.5° (RH Only) (click "view photo" for conforming versions)	<p>Sole: HiBORE (w/ line) (w/ raised dot present anywhere in "H" only), XL, (Cleveland Golf logo in oval), (loft) Toe: Cleveland (Cleveland logo in graphic), DISTANCE DRIVEN GEOMETRY Crown: (Cleveland logo alignment mark) Heel: HIGH MOI Face: (w/ or w/o "FFP")</p>

» [View Photo](#)

Cleveland Golf Launcher NC-X 9.5°,10.5°

Sole: CLEVELAND, (line), LAUNCHER, NC-X, (Cleveland Golf logo), (loft), TITANIUM

» [View Photo](#)

Cleveland Golf Launcher 460 NC-X 9.5°,10.5°

Sole: CLEVELAND, (line), LAUNCHER, 460 · NC-X, (Cleveland Golf logo), (loft), TITANIUM

» [View Photo](#)

Cleveland Golf Launcher NC-X2 460 9.5°,10.5°

Sole: CLEVELAND, (line), LAUNCHER ·, NC-X2, (Cleveland Golf logo), (loft), TITANIUM
Toe: LAUNCHER 460

» [View Photo](#)

Climb Free, Inc. Birth Blackbullet 350 N/A

Sole:BLACKBULLET, PREMIUM EDITION, HIGH PRESSURE β TITANIUM, (line), 10-2-3, BIRTH, (Climb Free logo), ALWAYS CHARGE, 350

» [View Photo](#)

Climb Free, Inc. Birth Blackbullet 385 N/A

Sole:BLACKBULLET, PREMIUM EDITION, HIGH GRADE COR β TITANIUM, (line), 10-2-3, BIRTH, (Climb Free logo), ALWAYS CHARGE, 385, SHAPE

» [View Photo](#)

Climb Free, Inc. Birth Blackbullet TL Edition N/A

Sole: BLACK BULLET, Premium TL Edition, (arrow logo), ALWAYS CHARGE, 1 DRIVER, (adjustable weight screw)

» [View Photo](#)

Crews Co., Ltd. C-Drive 390 9.5°,10.5°

Sole: Forged SP700, Titanium Face, C-Drive (with D in circle) 390, (line) (loft), (line), (line), CREWS, (line), CREWS WAVE

» [View Photo](#)

Crews Co., Ltd. C-Drive 415 9°,10°,11°

Sole: C-DRIVE 415, THE FINEST TUNE, 415 FORGED, CREWS GOLF, (loft)

Toe: (C logo)

» [View Photo](#)

DAB Korea Co., Ltd.	DK-310	9°,10.5°,11°,12°	<p>Sole: 1 (loft), (teradactyl graphic), DABKO, DK-310, HANDWORK TITANIUM, TI-15.3.3.3</p> <p>Crown: (arrow alignment mark)</p> <p>※ View Photo</p>
DAB Korea Co., Ltd.	Powerplus PP-340	10°	<p>Sole: 1 (loft), Flow Weight System, (POWER overlapping PLUS), PP-340, Sense Power, Ti-15.3.3.3</p> <p>Crown: (arrow alignment mark)</p> <p>※ View Photo</p>
DAB Korea Co., Ltd.	Powerplus DK-360	7°,9°,10°	<p>Sole: DK-360, (teradactyl graphic), (POWER overlapping PLUS), TI-15.3.3.3, (loft)</p> <p>Crown: (arrow alignment mark)</p> <p>※ View Photo</p>
DAB Korea Co., Ltd.	DK-360	9°,10.5°,11°,12°	<p>Sole: DK-360, (teradactyl graphic), DABKO, TI-15.3.3.3, (loft)</p> <p>Crown: (arrow alignment mark)</p> <p>※ View Photo</p>
Daiwa Corporation	G-3 901 Ti-01	12°	<p>Sole: 1 12, G-3 901 Ti-01, COMBINED, TITANIUM STRUCTURES, Daiwa</p> <p>※ View Photo</p>
Daiwa Seiko, Inc.	G3 Hyper Titan	10.5°, 12°	<p>Sole: 1 (loft), G-3, <i>HYPHER</i>, <i>TITAN</i>, COMBINED, TITANIUM STRUCTURES, Daiwa</p> <p>Toe: HYPHER TITANIUM , 15Mo-5Zr-3Al, &, 15V-3Al</p> <p>※ View Photo</p>
Daiwa Seiko, Inc.	G3 902 Ti-01	12°	<p>Sole: 1 (loft), <i>G-3 902 Ti-01</i>, COMBINED, TITANIUM STRUCTURES, Daiwa</p> <p>Toe: HYPHER, TITANIUM, 15Mo-5Zr-3Al & 15V-3Al</p> <p>Crown: (diamond shape alignment mark)</p> <p>※ View Photo</p>
Daiwa Seiko, Inc.	G3 SUPERDRIVE	9.5°,10.5°,11.5°	<p>Sole: G-3, SUPERDRIVE, TITANIUM, PERFECT IMPACT, SYSTEM, COR-VERSION II, 1, (loft in octagon)</p> <p>Toe: Z I, ZONEIMPACT,</p>

EXPLOSIVE DISTANCE**Crown:** (V alignment mark)✦ [View Photo](#)

Daiwa Seiko, Inc.	ONOFF (Standard & Lady)	8°,9°,10°,11°,12° (click "view photo" for conforming version)	Sole: ONOFF, INNER KICK HEAD &, HYPER TITANIUM PLUS II, 1 (in circle), (loft), DRIVER Toe: (square O logo) Heel: Daiwa (upside down) ✦ View Photo
Daiwa Seiko, Inc.	ONOFF	9°,10°,11°	Sole: ONOFF, SUPER POWER CROWN, PLASMA HYPER TITANIUM, FULL TITAN, (three circles with "V", "S", "L" connected with three lines forming triangle), BALANCE, (loft in recessed circle) Toe: (square O logo) ✦ View Photo
Daiwa Seiko, Inc.	ONOFF 380	9°,10°,11°	Sole: ONOFF, INNER KICK HEAD, LOFT: (loft)/VOLUME:380 Toe: (square O logo) Heel: Daiwa ✦ View Photo
Daiwa Seiko, Inc.	ONOFF 390	9°,10°	Sole: ONOFF, SWING ASSIST SYSTEM, VOLUME: 390/LOFT: (loft), (plus symbol) Toe: (square O logo) Back: TRIPTONIC DESIGN ✦ View Photo
Daiwa Seiko, Inc.	ONOFF 410	9°,10°,11°	Sole: ONOFF, SWING ASSIST SYSTEM, VOLUME: 410/LOFT: (loft), (1 in circle) Toe: (square O logo) Back: TRIPTONIC DESIGN ✦ View Photo
Daiwa Seiko, Inc.	GIII 400	12.5°	Sole: GIII: 1, SWING ASSIST SYSTEM, LASER HYPER TITANIUM, LOFT: (loft) VOLUME: 400 ✦ View Photo
Daiwa Seiko, Inc.	GIII 420	10°,11.5°	Sole: GIII: 1, SWING ASSIST SYSTEM, LASER HYPER

TITANIUM, LOFT: (loft)

VOLUME: 420

✦ [View Photo](#)

David Corporation	DV 420	8.5°,9.5°	Sole: 1 (loft), TVC TITANIUM, DV 420, DAVID Toe: DV ✦ View Photo
Day Golf Co., Inc.	Drive Tru	N/A	Sole: DAY GOLF Co., (Drive (r), (line), 1 Tru in oval), MINDEN, NV, PAT. PEND. Crown: (line alignment mark) ✦ View Photo
Delta Golf Co., Ltd.	Newbery Navarone 500c.c.	8°	Sole: (loft), NEWBERY , (line) SINCE 1919(line), NAVARONE, Rebound-Forged-Titanium , 500c.c. Toe: SUPER BETA FORGED, TITANIUM ✦ View Photo
Diamond Tour Golf	Turner ZR-02	10°	Sole: (loft), TURNER (β in circle), (underline), ZR-02, SP700 Crown: (Beta symbol alignment mark) ✦ View Photo
Diamond Tour Golf	Turner 508	10°	Sole: (loft), 508, (double line), TURNER Crown: (Beta symbol alignment mark) ✦ View Photo
Diamond Tour Golf	Grand Hawk II	8°,10°	Sole: Driver, GRAND HAWK, (three lines) II (three lines), (loft) Back: (GRAND \blacklozenge HAWK in oval insert) Crown: (GH alignment mark) ✦ View Photo
Diamond Tour Golf	Grand Hawk II	8°,9°,10°,11°	Sole: Driver, GRAND HAWK, (three lines) II (three lines), (loft) Back: (GRAND \blacklozenge HAWK in oval insert) Toe: GH Crown: (GH alignment mark) ✦ View Photo
Diamond Tour	Pit Viper	8°,9°,10°,11°	Sole: PIT (line), VIPER, PV/427,

Golf	PV/427		(loft), (six circles) Face: β Crown: (P alignment mark) ※ View Photo
Diamond Tour Golf	Pit Viper PV/427	10°,11°,12°	Sole: PIT (line), VIPER, PV/427, (loft), (six circles) Face: β Toe: PV Crown: (P alignment mark) ※ View Photo
Diamond Tour Golf	MDD 872	8.5°,9.5°,11.5°,12.5° (click "view photo" for conforming version)	Sole: (loft), MDD, (arrow graphic), 872 Titanium Face: 15-3-3-3 Crown: (P alignment mark) ※ View Photo
Diamond Tour Golf	Tour Lies Red Streak	10.5°,11.5°	Sole: Tour Lies, (curved segmented line), RED STREAK, (curved segmented line), (loft), 460cc Forged Beta Titanium Face: 15-3-3-3 ※ View Photo
Dogleg Right Corp.	HOG DRIVER by Impact Golf Tech.	10°	Sole: FORGED BETA Ti, (loft), HOG, XTL, DRIVER , Dogleg Right / IMPACT GT Crown: (alignment mark) ※ View Photo
Dono Sports Corp.	DynaCube Fo-Gen	8.5°	Sole: (D logo), Dono golf, (loft) ※ View Photo
Dynacraft Golf	Blue Steel	10°	Sole: micro-fine, 17-4, stainless, BLUESTEEL, TS229 YS188TM, 1, (loft), Dynacraft(registered trademark symbol) Crown: (alignment mark) ※ View Photo
Eon Sports Co., Ltd.	Fairline ZX	10.5°	Sole: FAIRLINE ZX, ZX, NEW AERMET & SUPER ALLOY, 1, EON, SPORTS Back: (loft) Toe: (Fairline logo) ※ View Photo
Eon Sports Co., Ltd.	Fairline Pride	9°,10°,11.5°	Sole: FAIRLINE, PRIDE, (line), VCT CROWN TECHNOLOGY Back: Loft (loft), Gravity Control

			System, GR 20° Toe: P, Fairline, Pride (Fairline logo) ✦ View Photo
Eon Sports Co., Ltd.	Giga XF 420	9.5°	Sole: EON SPORTS, GIGA, XF420 PRO, 1 (loft), T-VC TITAN Back: (golfer logo), NATURAL TURN, D.E.S.I.G.N ✦ View Photo
Epon Golf Co., Ltd.	Technity 415ZR H·COR	9.5°,10.5	Sole: TECHNITY, (line), Forged, TITAN, 415, H·COR Toe: EPON, ENDO PRODUCT Heel: SUPER AS ROLL, (loft) H·COR ✦ View Photo
Epon Golf Co., Ltd.	Technity 460ZR H·COR	9.5°,10.5°	Sole: TECHNITY, (line), Forged TITAN, 460, H·COR Toe: EPON, ENDO PRODUCT Heel: SUPER AS ROLL, (loft) H·COR ✦ View Photo
Equiam Ltd.	Lynx Parallax (Version 2)	9°,10°	Sole: Lynx, PARALLAX, 460cc, (3 curved lines), 1 (loft), TITANIUM CARBON Toe: (Lynx logo) Heel: DRAW BIAS Crown: (alignment mark) ✦ View Photo
Feel Golf Co.	Pro Tour 787 PR 460cc	10°	Sole: 460CC, feel, (line), Pro Tour 787 PR, (loft), FORGED Crown: ((line), feel, (line) alignment mark) Face: BETA TI ✦ View Photo
Fine Earth Enterprises, Ltd.	Nano Power Pro	9°	Sole: (NANO-POWER through diamond graphic), (loft), PRO Back: (line) 1 (line) Toe: (Thin Power, Distance Formula@through diamond shape) ✦ View Photo
Fnc Kolon Corp.	Elord GX 460N (Version 1)	10°	Sole: (loft), ((GX logo) 460 N, TITANIUM, (curved line), ELORD, (curved line) in oval)

Foresta Co., Ltd.	Lancaster Super XD1	9.5°	<p>☛ View Photo</p> <p>Sole: (L logo), LANCASTER, SUPER, XD1 Toe: (L logo)(loft) ☛ View Photo</p>
Foresta Co., Ltd.	Gear Max GMX-500	9.5°	<p>Sole: GEAR MAX, (line), FORGED TITANIUM, (5 blocks), 1 (loft), GMX-500, (5 blocks) ☛ View Photo</p>
Foresta Co., Ltd.	PX 380V	10.5°	<p>Sole: PX, (line) 380V, (loft) 1, TITANIUM, W-TUNABLE WEIGHT Toe: PX, (line) 380V Crown: (alignment mark) ☛ View Photo</p>
Foresta Co., Ltd.	Tommy Armour Royal Scot	9.5°,10.5°	<p>Sole: Royal (underlined) (RS logo) Scot (underlined), Tommy Armour, (logo), (loft) (underlined) Toe: (logo) ☛ View Photo</p>
Foresta Co., Ltd.	Tommy Armour Torch IP	9.5°,10.5°	<p>Sole: Tommy Armour, (logo), TORCH, (SUPER HARD COATED through IP), (loft) Toe: (logo) Heel: (logo) 460 ☛ View Photo</p>
Fourteen Co., Ltd.	Deep One JC	10.5°	<p>Sole: DEEP-ONE SHAPE, for the Discerning Golfer, JC, (circular weight insert) Back: FOURTEEN, (feather graphic) ☛ View Photo</p>
Foresta Co., Ltd.	Tear Drop Cyber Crown	8°,9°,10°	<p>Sole: TearDrop, cyber crown, (line), VER.2, (TG on weight screw), 1 (loft), -DAT55G TI FULL BODY. Back: cyber crown, (line) Toe: C2 ☛ View Photo</p>
Golf Coast/Vector Golf	Seahawk II	10.5° (click "view photo" for conforming version)	<p>Sole: (loft), SEAHAWK, (line), II, BETA , (line), TI, 10-2-3 Face: Beta-Ti, 2.65 Crown: ("S" alignment mark)</p>

Golf Coast/Vector Golf	Vector III	6.5°,9° (click "view photo" for conforming version)	<p>☛ View Photo</p> <p>Sole: (loft), VECTOR III, (line under ECTO), 444, BETA, (line under ET), TI, 15, 3-3-3 Face: Beta-Ti, 2.7 Crown: ("V" alignment mark) ☛ View Photo</p>
Golf Coast/Vector Golf	Vector III	9° ° (click "view photo" for conforming version)	<p>Sole: (loft), VECTOR III, (line under ECTO), 444, BETA, (line under ET), TI, 15, 3-3-3 Face: Beta-Ti, <u>2.8</u> Crown: ("V" alignment mark) ☛ View Photo</p>
Golf Hands	Delight 460 Ultimate Distance	5°	<p>Sole: 1 (loft), Delight 460, Ultimate Distance, β2041 Titan Face, Four-Piece Body, 6AL4V Ti-Body ☛ View Photo</p>
Golf Hands	DTI 460	14°	<p>Sole: 1 (loft), Lazer Weld Face, DTI, 2 Piece Body Construction, 460cc Head Volume, (circular weight) ☛ View Photo</p>
Golf Planner Co., Ltd.	Tour Concept 380 Step Sole Design	9°,10°	<p>Sole: TOUR CONCEPT, STEP SOLE, DESIGN (in rectangle), FOR GRAVITY, CONTROL, 1, Loft. (loft) Toe: (logo) Back: SP-700 TITANIUM FACE, 6AL-4V TITANIUM BODY, 380SS (in plastic insert) ☛ View Photo</p>
Golf Planner Co., Ltd.	Tour Concept 360 Round Sole Design	9°,10°	<p>Sole: 1 LOFT. (loft), TOUR CONCEPT, ROUND SOLE DESIGN Toe: (logo) Back: SP-700 TITANIUM FACE, 6AL-4V TITANIUM BODY, 360RS (in plastic insert) ☛ View Photo</p>
Golf Planner Co., Ltd.	Tobunda 400	10°,11°	<p>Sole: (logo), TOBUNDA, 400, SP-700, TITANIUM, 1 (loft) Toe: 400, TOBUNDA Crown: (logo alignment mark)</p>

Golf System Co., Ltd	SEAD	9°	<p>☛ View Photo</p> <p>Sole: SEAD, 450cc FORGED TITANIUM, SAMSUNG GOLF, EQUIPMENT, ANALYZER & DATA SYSTEM, 1 (loft), DAT600C Ti Face</p> <p>☛ View Photo</p>
Golfsmith International, Inc.	Killer Bee Stinger	10°	<p>Sole: 1 (loft), Killer Bee, (bee graphic), Stinger, HOT•FACE, Beta, TITANIUM, 360CC</p> <p>Toe: Does Not Conform, USGA, App.II,5a</p> <p>Crown: (alignment mark)</p> <p>☛ View Photo</p>
Golfsmith International, Inc.	Killer Bee Stinger 500	10.5°	<p>Sole: (curved line), (loft in hexagon), BETA TITANIUM, (bee graphic), ((line), STINGER, 500 over honeycomb pattern graphic), KillerBee</p> <p>Toe: Does Not Conform, USGA, App.II,5a, (curved line)</p> <p>Crown: (arrow alignment mark)</p> <p>☛ View Photo</p>
Golfsmith International, Inc.	Lynx Parallax Tour	8.5°,9.5°,10.5°	<p>Sole: (Lynx logo), Lynx PARALLAX, TOUR, Hi-C.O.R., BETA TITANIUM, DRIVER, (loft), (swing speed) MPH</p> <p>Face: βTi</p> <p>Crown: Lynx</p> <p>☛ View Photo</p>
Golfsmith International, Inc.	Snake Eyes AerMet(tm)	9°,10°,11°	<p>Sole: CMF, SNAKE (Snake Eyes logo), EYES , 1, (loft) AerMet(tm), (line), CMF, (swing speed) MPH</p> <p>Toe: AerMet, (line), FORGED FACE</p> <p>☛ View Photo</p>
Golfsmith International, Inc.	Snake Eyes Fire Forged	9°,10°,11°	<p>Sole: SNAKE (Snake Eyes logo), EYES, 1, FIRE , FORGED, (loft), TITANIUM, 320cc CMF, (swing speed) MPH</p> <p>Face: (Snake Eyes logo)</p> <p>Toe: FIRE, (arc), Beta, Ti, (arc), FORGED</p> <p>☛ View Photo</p>

Golfsmith International, Inc.	Snake Eyes Viper COR+	10° (click "view photo" for conforming version)	Sole: 430cc, SNAKE EYES (Snake Eyes logo), VIPER, TITANIUM, (loft), COR+ Face: COR+ Toe: (semi-circle) Beta, FORGED, Ti (semi-circle) Heel: Does Not Conform, USGA, App. II, 5a, (semi-circle) Crown: (Snake eyes logo alignment arrow) * View Photo
Golfstore Group AB	TS Pro MX-12	9°,10.5°,12°,14°	Sole: (loft), (ts logo), PRO, (arrow) DUAL TECH (arrow), TITANIUM, 425cc Back: MX12 * View Photo
Golfwell Inc.	TOUR PRO FORMA BETA TI 300cc	N/A	Sole: TOUR , PRO FORMA , •••, (line), ••••, 1, (line), (logo), BETA TI, 300 CC Face: Ti 15-3 Crown: (alignment arrow) * View Photo
Golfwell Inc.	TPF BETA Ti 300cc	10.5°	Sole: TPF , •••, (line), ••••, 1, (line), BETA Ti, 300 CC Face: Ti 15-3 Crown: (recessed oval) * View Photo
Golfwell Inc.	TPF MCOR	N/A	Sole: Beta Ti, •, TPF, MCOR, 1, Face: Ti 15-3 (two horizontal punchmarks) Crown: (alignment mark) * View Photo
Golfwell Inc.	TPF MCOR	N/A	Sole: Beta Ti, •, TPF, MCOR, 1, Face: Ti 15-3 (two vertical punchmarks) Crown: (alignment mark) * View Photo
Golfwell Inc.	TPF MCOR	N/A	Sole: Beta Ti, •, TPF, MCOR, 1, Face: Ti 15-3 Crown: (alignment mark) * View Photo
Golfwell Inc.	TPF MCOR Offset	N/A	Sole: Beta Ti, •, TPF, MCOR, 1, Face: Ti 15-3 Crown: (alignment mark)

			<ul style="list-style-type: none"> • View Photo
Golfwell Inc.	TPF MCOR 365cc	N/A	<p>Sole: Beta Ti, •, TPF, MCOR, 1, 365cc Face: Ti 15-3 (two horizontal punchmarks) Crown: (alignment mark) <ul style="list-style-type: none"> • View Photo </p>
Golfwell Inc.	TPF MCOR 365cc	N/A	<p>Sole: Beta Ti, •, TPF, MCOR, 1, 365cc, (single weight port on sole) Face: Ti 15-3 (two horizontal punchmarks) Crown: (alignment mark) <ul style="list-style-type: none"> • View Photo </p>
GolfWorks	Maltby Mr. Big 505	10°	<p>Sole: (three triangles logo), MR. BIG , 505, MALTBY(underline) <ul style="list-style-type: none"> • View Photo </p>
GolfWorks	Maltby EGO II	10.5° (click "view photo" for conforming version)	<p>Sole: MALTBY, (line), EGO II, TI-451 BETA TITANIUM, 1, (loft) • 410cc Back: BLACK BOX METAL Crown: (triangle alignment mark) <ul style="list-style-type: none"> • View Photo </p>
GolfWorks	Maltby Xstreamliner II	10°	<p>Sole: (three triangles logo), Xstreamliner (over X in a circle graphic), (loft) • 400cc, BETA•TITANIUM Face: SP700 Crown: (II alignment mark) <ul style="list-style-type: none"> • View Photo </p>
GolfWorks	Maltby CT 250	6°	<p>Sole: MALTBY, (line), CT(line through CT)250, TUNGSTEN WEIGHTED, BETA TITANIUM•450cc, (loft) Back: (three weight screws) Crown: (CT alignment mark) <ul style="list-style-type: none"> • View Photo </p>
GolfWorks	Maltby CT 250 LD	6°	<p>Sole: MALTBY, (line), CT(line through CT)250, TUNGSTEN WEIGHTED, BETA TITANIUM•450cc, (loft)-LD Back: (three weight screws) Crown: (CT alignment mark) <ul style="list-style-type: none"> • View Photo </p>

Grand Golf Company, LLC	Grand Golf	N/A	<p>Sole: (G logo), GRAND®, Golf</p> <p>Back: (fixed weight protusion w/ G logo and three dots)</p> <p>✦ View Photo</p>
Grand Golf Company, LLC	TAG L68 500	N/A	<p>Sole: 500, L68, TAG®, FULL-FACE, (oval w/line graphic), SWEETSPOT, (line)</p> <p>Back: (GRAND®, Golf on quadrilateral insert)</p> <p>✦ View Photo</p>
Grand Prix Co. Ltd.	GP415 US. Spec	9°	<p>Sole: (airplane logo), TARGET, ((THEROOPTHEROOPTHEROOP in outer circle), (ic in inner circle)), GP415, US. Spec (loft), GRAND PRIX TECHNOLOGY</p> <p>Toe: GRAND PRIX</p> <p>Crown: (alignment mark)</p> <p>✦ View Photo</p>
Hal Sports	HSPB DR-9	N/A	<p>Sole: HSPB SYSTEM DR-9, Center of Gravity, 1=HSPB, (line), 100, (seven in line circles increasing in diameter, the last circle containg a circle within a triangle graphic), The Power Balance, Theory of Relativity, (squigly line)</p> <p>✦ View Photo</p>
Hana Co. Ltd.	Solium 450	8°	<p>Sole: Solium, 450, (loft), POWER OF BRAMA DRIVER</p> <p>Back: Brama</p> <p>✦ View Photo</p>
Harima Golf Co.	Max Carry 395	10.5°	<p>Sole:MAX CARRY, DRIVER OF DREAM, (M in broken circle logo), Ti 1 (loft), 395, TWIN SCREW OF AERODYNAMICS</p> <p>✦ View Photo</p>
Henry-Griffits, Inc.	HG 400 Model 85	13°	<p>Sole: HG 400, (line), (line), TITANIUM MODEL 85-(loft), (HG logo)®, (line), HENRY-GRIFFITS, (line)</p> <p>✦ View Photo</p>
Hippo Golf Co.	Hex ² 460 (Version 2)	10°	<p>Sole: (loft), (hexagon, hexagon, hexagon, HiPPO, HEX², TITANIUM CARBON encircled</p>

by curved line), 460
Crown: (hexagon alignment mark)
Face: SP-700, (hexagon media blast)
* [View Photo](#)

Hireko Golf	Acer Super Titan 400	10°	Sole: ACER, SUPER, TITAN, 400, (loft) Crown: (alignment mark) * View Photo
Hireko Golf	Acer Super Titan 500	8.5°, 10°	Sole: (loft), SUPER, TITAN, 500, ULTRASIZED, ACER Crown: (dot alignment mark) * View Photo
Hireko Golf	Acer XP 450	10.5°, 13°, 15°	Sole: (loft), XP, TITANIUM, 450cc Back: (acer over two curved lines on rectangular insert) Crown: (dot alignment mark) * View Photo
Hireko Golf	Catapult 450	10.5°	Sole: TITANIUM, (underline), CATAPULT, (underline), 450cc, (loft) Crown: (dot alignment mark) * View Photo
Hireko Golf	Dynacraft Avatar Launch Series (LH)	10°	Sole: 460cc, avatar, CUP FACE TITANIUM, (loft in triangle), (LAUNCH, SERIES, in rectangle insert) Back: TRIPLE INTERNAL WEIGHTING Toe: DYNACRAFT Crown: (A alignment mark) * View Photo
Hireko Golf	Impex Plus 450	8.5°	Sole: Impex, PLUS, FORGED, TITANIUM, 450cc, 1,(loft) * View Photo
Hireko Golf	Power Play Select 5000 450cc	8.5°,9°,10.5°,12°,14°	Sole: Tungsten, (loft), Power Play, SELECT, 5000, (line), HI-C.O.R. TITANIUM, 450CC Crown: (dot alignment mark) * View Photo
Hireko Golf	Power Play Select 5000	9°	Sole: (loft), SELECT, 5000, (line), GTI EDITION, TI 400, (curved

	400 GTI Edition		insert w/ four ball bearings) Toe: Power Play Crown: (dot alignment mark) ※ View Photo
Hireko Golf	Impex Megasize 2 Offset	10.5°,12°	Sole: OFFSET TITANIUM, Impex, MEGASIZE 2, 430cc, 1, (loft) ※ View Photo
Hireko Golf	Synchron Medic Ti	10.5°	Sole: (loft), ((three mock Allen screws), SYNCHRON, MEDIC, (three mock Allen screws) in rectangular outline), Ti ※ View Photo
Hireko Golf	Synchron Revolver 455cc	10.5°	Sole: (bell-shaped outlines), (loft), Revolver, TITANIUM, 455cc, (SYNCHRON on rectangular insert) Crown: (dot alignment mark) ※ View Photo
Hirota Golf Co. Ltd.	El Nino 460 RX	8.5°,10.5°	Sole: (loft), (El Nino 460 RX, Deep Impact over RX graphic), Power Impact Body Toe: (logo) Heel: PROFESSIONAL ATHLETE, SUPER COMPOSITE, RX Face: 10-2-3 βTi ※ View Photo
Hirota Golf Co. Ltd.	Yokozuna	10.5°	Sole: 1 (loft), Yoko, Zuna, FORGED β-TITANIUM ※ View Photo
Honma Golf	Beres MG711 460	9°,10°	Sole: -460-, (loft), MG711 (box outline r), (line), BERES, (three lines (B logo in circle) three lines on oval insert), -(star(s))- Toe: SAKATA STUDIO, HONMA, MADE IN JAPAN (triangle) Crown: (alignment mark) ※ View Photo
Honma Golf	Beres MG712 460	9°,10°	Sole: BERES, MG712, (box outline r), -460-, (five punch marks), FORGED TITANIUM Toe: HONMA (w/ mole in O logo),

MADE IN JAPAN, SAKATA

Back: (B logo), (star(s)), (loft)

Crown: (alignment mark)

※ [View Photo](#)

Honma Golf Twin Marks 9°,10°,11°
400

Sole: 1 (loft), 400, AMAZING SPEC , H(mole in O logo)NMA, TITANIUM, (large Honma logo) (small Honma logo), Twin Marks

Toe: H(mole in O logo)NMA, (triangle)FORGED FACE(triangle)

Crown: Hiro Honma (signature), TWIN MARKS 400

※ [View Photo](#)

Honma Golf Twin Marks 10°
450

Sole: 450, AMAZING SPEC , H (mole in O logo)NMA, TITANIUM 1 (loft), (large Honma logo) (small Honma logo), Twin Marks

Toe: H(mole in O logo)NMA, (triangle)FORGED FACE(triangle), JV

Crown: (logo alignment mark)

※ [View Photo](#)

Honma Golf Twin Marks 11.5°,13°
380RF-C

Sole: 380RF-C, TITANIUM, 1 (loft), HONMA (w/ mole in O logo), (recessed circular weight insert), ((small Honma logo) (large Honma logo), Twin Marks on rounded triangular insert), (recessed circular weight insert)

Toe: HONMA (w/ mole in O logo), (triangle)FORGED FACE(triangle)

Crown: (H within a C logo alignment mark)

※ [View Photo](#)

Honma Golf Twin Marks 10.5°
400RF
Carbonium

Sole: (H logo in circle) Twin Marks (H logo in circle), ((400RF in small oval), CARBONIUM in large oval), 1 (loft), H(mole in O logo)NMA

Crown: (logo alignment mark)

※ [View Photo](#)

Honma Golf Twin Marks 9.5°,10.5°,11.5°
808RF
Carbonium

Sole: Twin Marks, ((808RF in small oval), Carbonium in large oval), 1, (loft), H(mole in O logo) NMA

Hosel: MADE IN JAPAN, SAKATA

Back: (H within a C logo,

			<p>HONMA GOLF in oval, carbonium on oval insert) Toe: H(mole in O logo)NMA, (triangle)FORGED FACE(triangle) Crown: (logo alignment mark) * View Photo</p>
Honma Golf	Twin Marks 400RF Ti	8°,9°,10° (click "view photo" for conforming version)	<p>Sole: 400RF, TITANIUM, 1 (loft), H(mole in O logo)NMA, (large Honma logo) (small Honma logo), Twin Marks Toe: H(mole in O logo)NMA, (triangle)FORGED FACE(triangle), JV * View Photo</p>
Honma Golf	Twin Marks 420RF Ti	8°,9°,10°,11° (click "view photo" for conforming version)	<p>Sole: 420RF, TITANIUM, 1 (loft), H(mole in O logo)NMA, (curved line), ((large Honma logo) (small Honma logo), Twin Marks in oval insert) Toe: H(mole in O logo)NMA, (triangle)FORGED FACE(triangle) Crown: (H within a C alignment mark) * View Photo</p>
Honma Golf	Twin Marks 425RF Ti	9°,10° (click "view photo" for conforming version)	<p>Sole: 425RF, TITANIUM, 1 (loft), H(mole in O logo)NMA, (recessed circular weight), (waved line), ((small Honma logo) (large Honma logo), Twin Marks on rounded triangular insert) Toe: H(mole in O logo)NMA, (triangle)FORGED FACE(triangle) Crown: (H within a C alignment mark) * View Photo</p>
Honma Golf	Twin Marks 460RF Amazing Spec	9°,10°	<p>Sole: 460RF, TITANIUM, AMAZING SPEC, H(mole in O logo)NMA, (curved line), (H logo in circular insert) Twin Marks (H logo in circular insert), (r in recessed parallelogram), (loft) Toe: H(mole in O logo)NMA, (triangle)FORGED FACE(triangle) Crown: (H within a C alignment mark) * View Photo</p>
Honma Golf	Twin Marks 355 Ti	9.5°,10.5°	<p>Sole: H(mole in O logo)NMA, (triangle) 355Ti (triangle), (large</p>

		(click "view photo" for conforming version)	Honma logo insert)(small Honma logo insert), 1, (loft) Toe: H(mole in O logo)NMA, (triangle)FORGED FACE(triangle), JV Crown: Hiro Honma (signature), TWIN MARKS 355 * View Photo
Honma Golf	Twin Marks 360 Ti	9.5°,10.5°,11.5° (click "view photo" for conforming version)	Sole: 1, Twin Marks, 360Ti, (triangle) (loft) (triangle), H(mole in O logo)NMA, (two recessed circles), (circular weight insert with three punchmarks), (two recessed circles) Toe: H(mole in O logo)NMA, (triangle)FORGED FACE(triangle) * View Photo
Honma Golf	Twin Marks 380 Ti	9.5°,10.5°,11.5° (click "view photo" for conforming version)	Sole: (Honma logo)Twin Marks (Honma logo), 380, TITANIUM, 1 (loft), H(mole in O logo)NMA, (circular weight insert with three punch marks) Toe: H(mole in O logo)NMA, (triangle)FORGED FACE(triangle) Crown: (H within a C alignment mark) * View Photo
Honma Golf	Twin Marks 385 Ti	9°,10° (click "view photo" for conforming version)	Sole: ACCELERATE, (Honma logo)Twin Marks(Honma logo), 1 (loft), 385 Ti, H(mole in O logo) NMA, (circular weight insert with three punch marks) Toe: H(mole in O logo)NMA, (triangle)FORGED FACE(triangle) Crown: (three ellipses alignment mark) * View Photo
Honma Golf	Twin Marks 385-S Ti	9°,10°,11° (click "view photo" for conforming version)	Sole: ACCELERATE, (Honma logo)Twin Marks(Honma logo), 1 (loft), -S-, 385 Ti, H(mole in O logo)NMA, (circular weight insert with three punch marks) Toe: H(mole in O logo)NMA, (triangle)FORGED FACE(triangle) Crown: (three ellipses alignment mark) * View Photo
Honma Golf	Twin Marks	9.5°,10.5°,11.5°	Sole: 1, Twin Marks, 400Ti,

	400 Ti		(triangle) (loft) (triangle), H(mole in O logo)NMA, (two recessed circles), (circular weight insert with three punchmarks), (two recessed circles) Toe: H(mole in O logo)NMA, (triangle)FORGED FACE(triangle) * View Photo
Honma Golf	Twin Marks 500 Ti	10°	Sole: (recessed oval insert with (large Honma logo)(small Honma logo), Twin Marks), AMAZING SPEC, 500 Ti, (triangle)(loft) (triangle), H(mole in O logo),NMA Toe: H(mole in O logo)NMA, (triangle)FORGED FACE(triangle) Crown: (recessed alignment mark) * View Photo
Honma Golf	Twin Marks MG410 Carbonium	10.5°,11.5°	Sole: Twin Marks, (recessed curve) MG410 (recessed curve), Carbonium (over box outlining r), (loft), AMAZING SPEC, H(mole in O logo)NMA Back: (triangle)FORGED FACE (triangle), MADE IN JAPAN, SAKATA Toe: (H within a C logo, HONMA GOLF, Carbonium within recessed oval insert) Crown: (H within a C alignment mark) * View Photo
Honma Golf	Twin Marks MG460	9°,10°	Sole: ((H in circle)(H in circle), Twin Marks, AMAZING SPEC in oval insert), MG460(underlined)RF (line through box outlining r), (loft), H(mole in the hole logo) NMA Hosel: MADE IN JAPAN, SAKATA Toe: H(mole in the hole logo) NMA, (triangle) TITANIUM (triangle) Crown: (H within a C alignment mark) * View Photo
Impact Golf Technologies	Carrera II Turbo	10.5°	Sole: 2 PIECE FORGED, BETA TITANIUM, 1, 10.5°, CARRERA II, TURBO., DIAVAPORE, BY, CITIZEN

I N C Yamamoto Pro Golf Shop	Blue Power 365 B-Titan Hanshin Tigers	10°	Crown: (C logo) * View Photo Sole: (loft), 365 β-Titan, (logo), HANSHIN Tigers, 1 Back: HANSHIN Tigers Toe: HANSHIN (tiger logo), Tigers * View Photo
I N C Yamamoto Pro Golf Shop	Blue Power 425 (Version 2)	10°	Sole: 1 (425 over 1), (loft), (7 stars), BLUE (star logo), POWER, SP-700, TITANIUM Toe: (star logo) * View Photo
Infiniti Golf, Inc.	Infiniti PFD 455	9°,10.5°	Sole: (loft), INFINITI (logo superimposed), PFD455, PROGRESSIVE, FACE, DIMENSION, PAT PEND Crown: (alignment mark) * View Photo
Infiniti Golf, Inc.	Big'UN 475	10°	Sole: (loft) BIG'UN , POWER DRIVE 475, FORGED, TITANIUM Crown: (alignment mark) * View Photo
Infiniti Golf, Inc.	Macho Express 400	8° (click "view photo" for conforming version)	Sole: MACHO®, EXPRESS, TITANIUM, (two curved lines), TRAMPOLINE EFFECT, (loft no.) LoftX 4, 400CC * View Photo
Insignia Golf, Inc.	F.L.Y	10°	Sole: (segmented curve graphic), 1 (loft), INSIGNIA (w/ flag graphic on I), GOLF, F·L·Y, Beta TITANIUM, (segmented curve graphic) Crown: (dot alignment mark) * View Photo
International Sports CNS , Inc.	US Tour X- 400 Earth Ti	9.5°	Sole: HYPER, (loft), US TOUR, (line), X (cross in circle symbol) 400 (three horizontal lines), EARTH TI Face: β-Ti * View Photo
International	US Tour X-	10.5°	Sole: HYPER, (loft), US TOUR,

Sports CNS , Inc.	400 Earth Ti-J	(click "view photo" for conforming version)	(line), X (cross in circle symbol) 400 (three horizontal lines), EARTH TI-J Face: β-Ti ※ View Photo
Isolation Co., Ltd.	IS-400	9°,10°,11°,12°	Sole: IS-400, 1, (line with two dots), ISOLATION, Can strike be a good shot!, FORGED TITANIUM, MADE IN JAPAN ※ View Photo
Jazz Golf Equipment, Inc.	P2W Ball Launcher 500cc	8°,9°,10°	Sole: JAZZ, P2W (loft), (three horizontal dashes) BALL LAUNCHER (three horizontal dashes), SP700, (Jazz logo in triangle), PLAY TO WIN, = 500CC =, www.jazzgolf.com Crown: (Jazz logo alignment mark) ※ View Photo
Jazz Golf Equipment, Inc.	Bear Cat	10°	Sole: HOT FORGED, TITANIUM, Bear (four lines) Cat, JAZZ, 1, (loft), (line), LOFT, (three punchmarks in circle), (three punchmarks in circle) Crown: (Jazz logo alignment mark) Face: (Jazz logo) ※ View Photo
John Letters Golf Ltd.	T-Series	10.5°,15°	Sole: (loft), JOHN LETTERS, of Scotland - since 1918, 460cc, T- SERIES Back: TITANIUM Crown: (JL logo alignment mark) ※ View Photo
Justick Co., Ltd.	Advantage II Proceed	9°,11°,12.5°	Sole: ADVANTAGE, II, PROCEED (with line through proceed), FOR YOUR NEXT STAGE, JUSTICK, (bird logo), (star) Toe: JUSTICK, (bird logo) ※ View Photo
Kanamori Co., Ltd. (Gorilla Golf Division)	Arma Trinity Concept 330	11°	Sole: To-Be, ARMA, (line), TRINITY CONCEPT, FORGED TITAN 1, GORILLA, MADE IN JAPAN, 330 Toe: (Gorilla logo) Back: ALL BODY SP-700

✦ [View Photo](#)

Kanamori Co.,
Ltd. (Gorilla
Golf Division)

Arma Trinity
Concept 330

9°,10°,11°

Sole: To-Be, ARMA, (line),
TRINITY CONCEPT, FORGED
TITAN 1, GORILLA, MADE IN
JAPAN, (loft), 330

Toe: (Gorilla logo)

Back: ALL BODY SP-700

✦ [View Photo](#)

Kanamori Co.,
Ltd. (Gorilla
Golf Division)

Arma Trinity
Concept 330L

12°,13°

Sole: To-Be, ARMA, (line),
TRINITY CONCEPT, FORGED
TITAN 1, GORILLA, MADE IN
JAPAN, (loft), 330L

Toe: (Gorilla logo)

Back: ALL BODY SP-700

✦ [View Photo](#)

Kanamori Co.,
Ltd. (Gorilla
Golf Division)

Arma Athlete
Version 337G

9°,10°,11°

Sole: To-Be, ARMA, (line),
ATHLETE VERSION, FORGED
TITAN 1, GORILLA, MADE IN
JAPAN, (loft), 337-G

Toe: (Gorilla logo)

Back: ALL BODY SP-700

✦ [View Photo](#)

Kanamori Co.,
Ltd. (Gorilla
Golf Division)

Arma Athlete
Version 337H

9°

Sole: To-Be, ARMA, (line),
ATHLETE VERSION, FORGED
TITAN 1, GORILLA, MADE IN
JAPAN, (loft), 337-H

Toe: (Gorilla logo)

Back: ALL BODY SP-700

✦ [View Photo](#)

Kanamori Co.,
Ltd. (Gorilla
Golf Division)

Arma Athlete
Version 337S

9°,10°,11°

Sole: To-Be, ARMA, (line),
ATHLETE VERSION, FORGED
TITAN 1, GORILLA, MADE IN
JAPAN, (loft), 337-S

Toe: (Gorilla logo)

Back: ALL BODY SP-700

✦ [View Photo](#)

Kanamori Co.,
Ltd. (Gorilla
Golf Division)

Arma Assoluto
Distance 360

9°,10°

Sole: To-Be, ARMA, (line),
ASSOLUTO DISTANCE,
FORGED TITAN 1, GORILLA,
MADE IN JAPAN, (loft), 360

Toe: (Gorilla logo)

Back: ALL BODY SP-700

✦ [View Photo](#)

Kane Golf

Missile

9°,10°

Sole: 1 (loft), Missile Launcher,

Products	Laucher		CR1023 Titanium, Kanegolf.com ✦ View Photo
Kasco Corporation	DNA AS Model	10.5°,11.5° (click "view photo" for conforming version)	Sole: DNA , (Kasco logo), kasco, Design for New Athletes, AS Model, 1 (loft), S-AGING TITANIUM (in circular insert) Toe: (Kasco logo) ✦ View Photo
Kasco Corporation	Power Tornado	9°,10°,11°,13° (click "view photo" for conforming version)	Sole: 1 (loft), DD-FOUR, POWER TORNADO , S-AGING TITANIUM, (K logo, Kasco in circular insert) ✦ View Photo
Kasco Corporation	Power Tornado D-Max 460	9.5°,10.5	Sole: 1, (loft), POWER TORNADO, (line), D-MAX 460, FIBER TITANIUM Back: (K logo) Kasco, DRIVING BOOSTER ✦ View Photo
Kasco Corporation	K-860	8°,9°,10°,11°	Sole: 1, (K logo), kasco, K-860, (loft), INTENSIFIED TITANIUM, 400cc, (K logo, Kasco in circular insert) ✦ View Photo
Kasco Corporation	TM-01	9°,10°,11° (click "view photo" for conforming version)	Sole: POWER, TORNADO, DRIVER, (Kasco logo)kasco, (loft), TM01 ✦ View Photo
Kasco Corporation	Royal	10°,11° (click "view photo" for conforming version)	Sole: (skewed rectangle with kasco, (♦KASCO♦ROYAL in circular insert), 1, (loft)), (diamond insert with < KASCO (KR in circle) ROYAL >) ✦ View Photo
Katana Golf USA	Sword 350 Ti	9°,10°,11°	Sole: 1, (loft), SWORD 350 Ti, The Dreamy Distance, AS ROLL FACE, FORGED β TITANIUM Toe: KATANA GOLF, (Katana Golf logo) Face: AS ROLL ✦ View Photo
Katana Golf Co., Ltd.	Sword 855	10°	Sole: SWORD, 855, Slit Sole Technology, (loft)

			<p>Toe: (Katana Golf logo) Back: KATANA CO., LTD. JAPAN ✦ View Photo</p>
Katana Golf Co., Ltd.	Sword Izu Type-3	9°	<p>Sole: SWORD, (circular weight insert), IZU, (TYPE-3 in oval), (loft) Toe: (Katana Golf logo) Back: KATANA CO., LTD. JAPAN ✦ View Photo</p>
Katana Golf Co., Ltd.	Sword Izu Type-5	9°,10°,11°	<p>Sole: SWORD, (circular weight insert), IZU, (TYPE-5 in oval), (loft) Toe: (Katana Golf logo) Back: KATANA CO., LTD. JAPAN ✦ View Photo</p>
Katana Golf Co., Ltd.	Sword Izu Type-7	9°,10°,11°	<p>Sole: SWORD, (circular weight insert), IZU, (TYPE-7 in oval), (loft) Toe: (Katana Golf logo) Back: KATANA CO., LTD. JAPAN ✦ View Photo</p>
Katana Golf Co., Ltd.	Sword 870 CTi	9°,10°,11°	<p>Sole: SWORD, 870 CTi, Carbon Composite, Slit Sole Technology, (loft) Toe: (Katana Golf logo) Back: KATANA CO., LTD. JAPAN ✦ View Photo</p>
Katana Golf Co., Ltd.	RX-5	9.5°,10.5°,11.5°	<p>Sole: RX-5, ((circular weight insert), TUNGSTEN, ADJUST, MODE, (loft) on arrow graphic)) Toe: (Katana Golf logo) Back: KATANA CO., LTD. JAPAN ✦ View Photo</p>
Kawabe Kogyo Co. Ltd.	Abroad 455	N/A	<p>Sole: (3 lines) 455 (3 lines), ABROAD, THE BEST STRIKNG, (line), FORGED FACE SP 700 Toe: (A logo), THE BEST STRIKNG ✦ View Photo</p>

Kent Graphtec	INTEGRA 400cc	10.5°	<p>Sole: (Integra logo) INTEGRA (r), FORGED TITANIUM, 10.5°, 400CC, 90Ti-6AL-4V</p> <p>Crown: (Integra logo)</p> <p>※ View Photo</p>
Kent Sports	Alpha Reaction 400cc	10.5°	<p>Sole: (loft), FORGED TI, (logo), Alpha, Reaction, ACTIVEBETA FACE, 400CC</p> <p>Crown: (alpha symbol alignment mark)</p> <p>※ View Photo</p>
Kent Sports	Silver Diamond R425	12°	<p>Sole: (circular weight), (loft), SILVER DIAMOND (w/ S in diamond), TITANIUM, R425, (circular weight)</p> <p>Back: (circular weight)</p> <p>※ View Photo</p>
Keystone, Inc.	Ken's Metalica 405	10.5°	<p>Sole: KEN'S METALICA, 405 (3 circles), LFT FA LIE, (loft), 7137</p> <p>Toe: Ken's Champ</p> <p>Crown: (two curves alignment mark)</p> <p>※ View Photo</p>
King Par Corporation	Hti 440 (High COR)	8.5°, 9.5°	<p>Sole: ORLIMAR, (line), HTi440, ((loft), LOFT, 1 on arrow insert)</p> <p>Face: COR</p> <p>※ View Photo</p>
Komperdell Sportartikel GmbH	Fi 460	9°	<p>Sole: (K logo), Fi 460, (loft)</p> <p>Back: KOMPERDELL</p> <p>Face: BETA</p> <p>Crown: (alignment mark)</p> <p>※ View Photo</p>
Komperdell Sportartikel GmbH	P400	6°	<p>Sole: p400 (loft), (K logo)</p> <p>Back: KOMPERDELL</p> <p>Crown: (alignment mark)</p> <p>※ View Photo</p>
Lark Sports Corporation	Optima	10°	<p>Sole: (loft), (three interlocking O's) PTIMA, (line), SPRING FACE SP700, FORGED BETA TITANIUM, 500CC</p> <p>※ View Photo</p>
LiquidMetal Golf	Professor Johnson 330cc	11°	<p>Sole: PROFESSOR, JOHNSON, (long line), (short line), 330cc, (LM</p>

			logo), 1 (loft), LIQUIDMETAL, (short line), (long line), PURE ENERGY TRANSFER Toe: (LM logo) Crown: (LM logo alignment mark) ※ View Photo
M K Trading Co Ltd	Revolver 901	10.5°	Sole: Revolver, DISTANCE REVOLUTION, 901, (460cc, (loft) through oval) ※ View Photo
MacGregor Golf Co.	MACTEC NV2 ix400	9°,10°,11°	Sole: •iX400•, NV2, Navigation equipment, (loft), DR 1, Driving one, (line), MacGregor, MACTEC, (circular insert with three punchmarks) Toe: (whirlpool graphic), Driving satisfaction ※ View Photo
MacGregor Golf Co.	MACTEC NVG2 (Japan Model)	9°,10°,11°	Sole: (curved line), (loft), NVG2, Cup Face Technology, HIGH REBOUND VER., MACTECH, MacGregor, (NVG2, DUAL β Ti on insert), (two weight screws) Toe: (weight screw) Hosel: CONFORMING TO R&A SLE, RULE UNTIL 31-12-07 USGA, NON-CONFORMING Heel: (weight screw) ※ View Photo
MacGregor Golf Japan Ltd	MACTEC NV2 380	10°	Sole: Mactec.380. NV2 Tri+ Power Face (loft) DR 1 βTi-9 MacGregor Toe: Navigation Equipment ※ View Photo
MacGregor Golf Japan Ltd	MACTEC NV2 iX 350 (ladies)	11.5°,13°	Sole: •iX350•, NV2, Navigation equipment, (loft), DR 1, Driving one, (line), MacGregor, MACTEC, NV2, Ix350 Toe: (whirlpool graphic), Driving satisfaction ※ View Photo
MacGregor Golf Japan Ltd	MACTEC NV3 330 (ladies)	11.5°,13°	Sole: NV3 330, Dual Tungsten & Quadra, DR 1 (loft), MacGregor, MACTEC, NV3 330, DRIVING FORCE Toe: (whirlpool graphic), Driving

satisfaction, The 3rd Generation

✦ [View Photo](#)

MacGregor
Golf Japan Ltd MACTEC
NV3 420 9°,10°,11°

Sole: NV3 420, Dual Tungsten & Quadra, DR 1 (loft), MacGregor, (small circular weight insert) (large circular weight insert), (NV3 420 Driving Force in rectangular insert), MACTEC (TEC in rectangle)

Toe: (whirlpool graphic), Driving satisfaction, The 3rd Generation

✦ [View Photo](#)

MacGregor
Golf Japan Ltd MACTEC
NVG 360
(ladies) 11.5°,13°

Sole: NV JP Model, NVG 360L, Quadra Tungsten & Titanium, (loft), DRL1, MacGregor, MACTEC, NVG, Dual β Titanium

Toe: (weight screw)

Heel: (weight screw)

✦ [View Photo](#)

MacGregor
Golf Japan Ltd MACTEC
NVG 435 9°,10°,11°

Sole: NV JP Model, NVG 435, Quadra Tungsten & Titanium, MACTEC (TEC in rectangle), (loft), DR 1, MacGregor, (large weight screw) (small weight screw), (NVG, Dual β Titanium on rectangular insert)

Toe: (weight screw)

Heel: (weight screw)

✦ [View Photo](#)

Maruman Golf
Co., LTD . Dreadnaught
Model-402 10°

Sole:DREADNAUGHT ,
MODEL- 402, 1 (loft), (Maruman logo) maruman

✦ [View Photo](#)

Maruman Golf
Co., LTD . Majesty Power
Head 12°

Sole: MAJESTY, TITANIUM, (Maruman Crest)1., POWER HEAD ,(Maruman Logo) maruman

Toe: (Maruman logo), maruman

Face: MAJESTY, (crown logo)

✦ [View Photo](#)

Maruman Golf
Co., LTD . Majesty 360cc 10.5°,12°

Sole: TITANIUM, MAJESTY, ("MJ" & "SCIENCE AND ART" logo), 1, (Maruman Logo), maruman

Toe: THE TOUGHEST, 10-2-3, TITANIUM

✦ [View Photo](#)

Maruman Golf Co., LTD .	V-SONIC	10°,11°	<p>Sole: REACTIVE SOLE, TITANIUM 380, 1, V-SONIC, (logo), maruman</p> <p>Toe: Advanced Technology, BRICH840TITAN</p> <p>Crown: (alignment mark)</p> <p>※ View Photo</p>
Maruman Golf Co., LTD .	Bigwin X-ZONE	9°,10°,11°	<p>Sole: Bigwin , X- ZONE , (line), MODEL-402, 1, (logo), maruman</p> <p>Toe: LEVI CAST, ("BW" logo), TITANIUM</p> <p>※ View Photo</p>
Maruman Golf Co., LTD .	X- ZONE Big-e	10°,11°	<p>Sole: Big-e, LEVICAST TITAN, X- ZONE , MODEL 435, 1, (loft)</p> <p>Crown: (encircled X alignment mark)</p> <p>※ View Photo</p>
Maruman Golf Co., LTD .	Exim 360cc	9°	<p>Sole: EXIM, (raised arrowhead in oval, GEAR WITH STYLE in oval), (loft within circle with seven dots around perimeter)</p> <p>Toe: MSEC, SYSTEM, THE OPTIMAL BALLISTIC DESIGN</p> <p>Back: -360-</p> <p>※ View Photo</p>
Maruman Golf Co., LTD .	Exim 380cc	10°	<p>Sole: EXIM, (raised arrowhead in oval, GEAR WITH STYLE in oval), (loft within circle with seven dots around perimeter)</p> <p>Toe: MSEC, SYSTEM, THE OPTIMAL BALLISTIC DESIGN</p> <p>Back: -380-</p> <p>※ View Photo</p>
Maruman Golf Co., LTD .	Exim 400cc	11°	<p>Sole: EXIM, (raised arrowhead in oval, GEAR WITH STYLE in oval), (loft within circle with seven dots around perimeter)</p> <p>Toe: MSEC, SYSTEM, THE OPTIMAL BALLISTIC DESIGN</p> <p>Back: -400-</p> <p>※ View Photo</p>
McHenry Metals Golf, Inc.	Tour Pure II 400	8°,9.5°,11.5°	<p>Sole: McHenry, (McHenry logo), METALS, FORGED, TOURPUREii 400, BETA TITANIUM, (loft)</p> <p>Back: POWERRING</p>

TECHNOLOGY

Crown: (McHenry logo)

✦ [View Photo](#)

McKenly International, Corp.	XIUS 450	12°	<p>Sole: 1 (loft), XIUS, (line) 450, STRONGER, FORGED β-TITANIUM, (M logo) McKenly Toe: MSEC, SYSTEM, THE OPTIMAL BALLISTIC DESIGN Back: -400- ✦ View Photo</p>
MI Trading Co., LTD (Ishino Golf)	Massgoo 386	9°	<p>Sole: MASSGOO, 1 (loft), ISHINO, GOLF, (TUNGSTEN BALANCE on oval metal insert) Toe: (Ishino logo), MASSGOO 386 Back: FORGED β-TITANIUM ✦ View Photo</p>
Mitsubishi International, Inc.	Stellar 2000 QTS	10.5°	<p>Sole: STELLAR, (bird logo in circle), 2000, QTS, (loft) Toe: FORGED TITAN ✦ View Photo</p>
Miura Giken Co., Ltd.	MD 390 Precious Edition	9°	<p>Sole: MD390, (MG logo), (line), Precious Edition, (line), W.D.D. CONCEPT, (loft) 1 ✦ View Photo</p>
Mizuno	300E	9°,10°,11°,11.5°	<p>Sole: 1,(loft), STRONG-FORGED-Ti, MIZUNO, CORTECHNO DESIGN, 300E Toe: (Mizuno logo) ✦ View Photo</p>
Mizuno	300R	10.5°,12°	<p>Sole: MIZUNO , SUPER, STRONG FORGED, TITANIUM, 300R, VACRA, 15-6-4 , 1, (loft), CORTECHNO DESIGN, Toe: (logo) Face: VACRA ✦ View Photo</p>
Mizuno	300 SII 315	8°,9°,10° (click "view photo" for conforming version)	<p>Sole: (Mizuno logo), 300 SII - C.O.R., TOUR SPIRIT MODEL, STRONG FORGED, TITANIUM, 1 (loft)/315, CORTECHNO DESIGN Toe: (Mizuno logo) ✦ View Photo</p>

Mizuno	300 SII 330	8°,9°,10°, 11°,12° (click "view photo" for conforming version)	Sole: (Mizuno logo), 300 SII - C.O.R., TOUR SPIRIT MODEL, STRONG FORGED, TITANIUM, 1 (loft)/330, CORTECHNO DESIGN Toe: (Mizuno logo) ※ View Photo
Mizuno	300 SII 380	9°,10° (click "view photo" for conforming version)	Sole: (Mizuno logo), 300 SII - C.O.R., TOUR SPIRIT MODEL, 1 (loft)/380, CORTECHNO DESIGN Toe: (Mizuno logo) ※ View Photo
Mizuno	300 SII E-Type 330	8°,9°,10°,11.5°,12.5°	Sole: (Mizuno logo), 300 SII - EType, STRONG FORGED, TITANIUM, 1 (loft)/330, CORTECH DESIGN Back: MIZUNO Toe: (Mizuno logo) ※ View Photo
Mizuno	BlueFire	8°,9°,10°,11°	Sole: 1 (loft), MIZUNO , BlueFire, (line), (BlueFire logo), FORGED TITANIUM Back: MIZUNO Crown: (Mizuno alignment mark) ※ View Photo
Mizuno	BlueFire 350cc	9°,10°,11°	Sole: 1 (loft), MIZUNO , BlueFire, (line), 350, (BlueFire logo), FORGED TITANIUM Back: MIZUNO Crown: (Mizuno alignment mark) ※ View Photo
Mizuno	Grand Monarch Royal Cresta	11°	Sole: Royal Cresta, (1 in circle), GRAND MONARCH, (insert) Face: (sword and arrow shield graphic) Crown: (Royal Cresta superimposed over crest graphic) ※ View Photo
Mizuno	Intage TiMg iE	10°,11°	Sole: intage, TiMg iE (in oval), (loft) 1 Toe: (M logo in oval) Crown: intage ※ View Photo

Mizuno	Intage Ti/MG	9°,10°,11°,13.5°	<p>Sole: intage, (line) Ti/Mg, Mizuno (with M logo), (loft) 1</p> <p>Toe: (M logo)</p> <p>Crown: intage (on rear of crown)</p> <p>※ View Photo</p>
Mizuno	Intage X3	10.5°,11.5°,13°	<p>Sole: intage, POWER TRJ X3, (loft)</p> <p>Toe: (M logo)</p> <p>Back: 3D MAGNESIUM CROWN TITANIUM BODY (dot) Be-Ni SOLE</p> <p>Heel: CONFORMING TO R&A, SLE RULE UNTIL 31-12-07, USGA NON-CONFORMING</p> <p>Hosel: MIZUNO</p> <p>※ View Photo</p>
Mizuno	JPX E300	10°,11°	<p>Sole: JPX, SUPER STRONG, FORGED TITANIUM, (10 vertical lines), MIZUNO</p> <p>Toe: (Mizuno M logo)</p> <p>Back: E300, HIGH C.O.R., MODEL, (loft)</p> <p>Heel: CONFORMING TO R&A, SLE RULE UNTIL 31-12-07, USGA NON-CONFORMING</p> <p>※ View Photo</p>
Mizuno	JPX E300 Ladies	12.5°	<p>Sole: JPX, SUPER STRONG, FORGED TITANIUM, (10 vertical lines), MIZUNO</p> <p>Toe: (Mizuno M logo)</p> <p>Back: E300, HIGH C.O.R., MODEL, (loft)</p> <p>Heel: CONFORMING TO R&A, SLE RULE UNTIL 31-12-07, USGA NON-CONFORMING</p> <p>※ View Photo</p>
Mizuno	Mode B Ladies	12°	<p>Sole: mode, MODE B POSITION, FORGED β TITANIUM, (line), 1 (loft)</p> <p>Toe: G.F. FORGED</p> <p>Back: MODE, Optimum Design based on, Dynamic Stiffness</p> <p>Hosel: MIZUNO</p> <p>Crown: mode</p> <p>※ View Photo</p>
Mizuno	MP-001 C.O.R.	8°,9°,10° (click "view photo" for	<p>Sole: (Mizuno M logo), Forged, MP-001, C.O.R., Mizuno, (loft)</p> <p>Toe: Carbon Nano Tube</p>

		conforming version)	<ul style="list-style-type: none"> ✦ View Photo
Mizuno	MP-001 C.O.R. T/S	8.5°,9.5°,10.5° (click "view photo" for conforming version)	<p>Sole: (Mizuno M logo), FORGED, MP-001, C.O.R., MIZUNO, (loft) Toe: CARBON NANO TUBE Tube T/S</p> <ul style="list-style-type: none"> ✦ View Photo
Mizuno	MP-001 C.O.R. TS+	8.5°,9.5°,10.5°	<p>Sole: FORGED, MP-001, C.O.R., TS+, (loft) Toe: CARBON NANO TUBE, (Mizuno M logo) Heel: CONFORMING TO R&A, SLE RULE UNTIL 31-12-07, USGA NON-CONFORMING</p> <ul style="list-style-type: none"> ✦ View Photo
Mizuno	Presage Navigator	10°,13°	<p>Sole:PRESAGE, Navigator, D-D Navigation Design, 1, (loft), MIZUNO Back: FORGED TITANIUM Crown: (alignment mark)</p> <ul style="list-style-type: none"> ✦ View Photo
Mizuno	Presage Sophia	13°	<p>Sole: (Presage over P graphic), Sophia, 1 (loft (superscript)) Crown: (P alignment mark)</p> <ul style="list-style-type: none"> ✦ View Photo
Mizuno	T-Zoid Forged Plus 310	9°,10°,11°	<p>Sole: FORGED PLUS , 310, T-ZOID, MIZUNO, 1, (loft), FORGED TITANIUM Crown: T-ZOID (alignment mark) Back: T-ZOID logo, CORTECHNO DESIGN</p> <ul style="list-style-type: none"> ✦ View Photo
Mizuno	T-Zoid Forged Plus 350	9.5°,10.5°	<p>Sole: FORGED PLUS , 350, T-ZOID, MIZUNO, 1, (loft), FORGED TITANIUM Crown: T-ZOID (alignment mark) Back: T-ZOID logo, CORTECHNO DESIGN</p> <ul style="list-style-type: none"> ✦ View Photo
Mizuno	T-Zoid Forged Face	9.5°,10.5°	<p>Sole: FORGED FACE, T-ZOID, (loft), (line) Back: Mizuno (with M logo) Crown: T-ZOID, Titanium (at hosel)</p> <ul style="list-style-type: none"> ✦ View Photo

Mizuno	T-Zoid	9.5°,10.5°	<p>Sole: T-ZOID (in oval), (loft), (line) Toe: (M logo) Back: (ZOID through T) Heel: CONFORMING TO R&A, SLE RULE UNTIL 31-12-07, USGA NON-CONFORMING Hosel: MIZUNO * View Photo</p>
Monark Golf Supply	Hyper Sonic 400	9.5°	<p>Sole: (loft), HYPER SONIC, 400, (line), c.c., MAX C.O.R. Crown: (arrow alignment mark) * View Photo</p>
Monark Golf Supply	V Series 450cc	10.5°	<p>Sole: (loft), ("V Series" on rounded triangle with horizontal lines), 450 cc Crown: (dot alignment mark) * View Photo</p>
Monark Golf Supply	V Series 550cc	10.5°	<p>Sole: (loft), (V Series on rounded triangle with horizontal lines), 550cc Crown: (dot alignment mark) * View Photo</p>
Nakashima Golf	Htec	9.5°,11.5°	<p>Sole: (loft), NAKASHIMA (w/ N logo), Htec, (line), TITANIUM, Pat Pending Back: (N logo) Toe: (Kanji characters) Crown: (N logo alignment mark) * View Photo</p>
Nakashima Golf	Htec 4.06 Titanium	10.5°	<p>Sole: (loft), NAKASHIMA (w/ N logo), Htec, (line), 4.06 TITANIUM, (hosel weight screw) * View Photo</p>
Natural Golf Corp.	Tour Hammer 410cc	9° (click "view photo" for conforming version)	<p>Sole: NATURAL, (Natural Golf logo) Golf., TOUR, HAMMER (loft), .83 C.O.R., FORGED, BETA TITANIUM, 410cc Crown: (Natural Golf logo alignment mark) * View Photo</p>
Nike Golf	X-Face 350cc	8°,9.5°,10.5°	<p>Sole: (Nike logo), (loft) Face: (X merged with FACE)</p>

		(click "view photo" for conforming version)	<p>✦ View Photo</p>
Nike Golf (Japan)	X-Face 380cc	9.5°	<p>Sole: 380, (Nike logo), (loft) Face: (segmented grooves)</p> <p>✦ View Photo</p>
		(click "view photo" for conforming version)	
Nike Golf (Japan)	X-Face 420cc	9.5°	<p>Sole: 420, (Nike logo), (loft) Face: (segmented grooves)</p> <p>✦ View Photo</p>
		(click "view photo" for conforming version)	
Nike Golf	Ignite+ 380	8.5°,9.5°,10.5°	<p>Sole: (five punchmarks), 380, (Nike logo), (loft), (five punchmarks) Back: (two punchmarks), (IGNITE+ on rectangular insert), (two punchmarks) Face: 380+</p> <p>✦ View Photo</p>
		(click "view photo" for conforming version)	
Nike Golf	Ignite+ 410	9.5°,10.5°	<p>Sole: (five punchmarks), 410, (Nike logo), (loft), (five punchmarks) Back: (two punchmarks), (IGNITE+ on rectangular insert), (two punchmarks) Face: 410+ Crown: (modified I in circle alignment mark)</p> <p>✦ View Photo</p>
		(click "view photo" for conforming version)	
Nike Golf	Ignite+ 460	9.5°,10.5°	<p>Sole: (five punchmarks), 460, (Nike logo), (loft), (five punchmarks) Back: (two punchmarks), (IGNITE+ on rectangular insert), (two punchmarks) Face: 460+ Crown: (modified I in circle alignment mark)</p> <p>✦ View Photo</p>
		(click "view photo" for conforming version)	
Nike Golf	Ignite+ DFI 395	9.5°,10.5°	<p>Sole: 395, (Nike logo), (loft), (IGNITE+, (line), DFI on eye-shaped insert)</p> <p>✦ View Photo</p>
		(click "view photo" for conforming version)	
Nike Golf	Ignite+ DFI 460	9.5°,10.5°	<p>Sole: 460, (Nike logo), (loft), (IGNITE+, (line), DFI on eye-shaped insert)</p> <p>✦ View Photo</p>
		(click "view photo" for conforming version)	

Nike Golf	SQ+ Max 460	9.5°,10.5° (click "view photo" for conforming version)	Sole: (right triangle)460, (loft), SQ+ (Nike logo) Face: nexTI Hosel: (four punchmarks) Crown: (arrow alignment mark) ※ View Photo
Nike Golf	SQ Sumo2 460 (Version 1)	7.5°,8.5°,9.5°,10.5° (click "view photo" for conforming version)	Sole: (triangle)460, (loft), SQ, (Nike logo), (SQ, sumo2 on trapezoid insert), SUPER MOMENT OF INERTIA Hosel: (four punchmarks) ※ View Photo
Nike Golf	SQ Sumo2 460 Lucky 13 (Version 1)	13° (click "view photo" for conforming version)	Sole: (triangle)460, LUCKY 13, SQ, (Nike logo), (SQ, sumo2 on trapezoid insert), SUPER MOMENT OF INERTIA Hosel: (four punchmarks) ※ View Photo
Nikko Bussan Co. Ltd.	Coltess TC380	9.5°,10.5°	Sole: Composite Head, Titan with Carbon, COLTESS, TC380, (1 in circle), (loft) ※ View Photo
Original Co. Ltd.	Revolver 901 R1	10.5°	Sole: Revolver, DISTANCE, REVOLUTION, 901 (460cc, (loft) in oval) Toe: R1 ※ View Photo
Orlimar Golf	Trimetal Hip-Ti 420 COR	9.5°	Sole: (loft), ORLIMAR, TRIMETAL hipTi, 420cc Face: (line) (line), COR, (line) (line) Crown: (O alignment mark) ※ View Photo
Outlook Sports	Howson GBH Attacker	10.5°	Sole: Howson, (3 lines) GBH (3 lines), ATTACKER, 1, (line),(loft) Face: BETA TI Crown: (O alignment mark) ※ View Photo
Outlook Sports	Howson GBH Carbon Titanium	10.5°	Sole: Howson, (3 lines) GBH (3 lines), CARBON TITANIUM, 1, (loft), (line), 460CC Face: BETA TI Crown: (O alignment mark) ※ View Photo

Outlook Sports	Predator V	9°,10°	<p>Sole: Lynx, (Lynx logo), PREDATOR (roman 5 with lines), (line), (loft)</p> <p>Back: 460cc-TI</p> <p>Crown: (alignment mark)</p> <p>※ View Photo</p>
Perfect Club Co. (The)	Perfect Driver	N/A (click "view photo" for conforming version)	<p>Sole: (PERFECT, (curved line), DRIVER in triangle with 10 lines), 370cc, SP-700, VFT</p> <p>※ View Photo</p>
Playing Pro	Spider	9°,10.5°	<p>Sole: (loft), (spider graphic) PLAYING PRO, SPIDER</p> <p>Back (circular weight screw), (circular weight screw)</p> <p>Crown: (logo alignment mark)</p> <p>※ View Photo</p>
PowerBilt Golf	TPS 400	9°,10.5° (click "view photo" for conforming version)	<p>Sole: 1, TPS, (line), 400, (loft), FORGED BETA TITANIUM, (lightning bolt logo)</p> <p>Toe: POWER(lightning bolt logo) BILT</p> <p>Crown: (lighting bolt logo)</p> <p>※ View Photo</p>
Ram Golf	Ram QUB3	9.5°,10.5°,12°	<p>Sole: (loft), QUB3</p> <p>Back: RAM (with R in circle)</p> <p>Heel: 460CC/SQUARE TECHNOLOGY</p> <p>Crown: R (in square)</p> <p>※ View Photo</p>
Ram Golf	Ram QUB3 Pro	9.5°,10.5°,12°,14°	<p>Sole: QUB3, PRO, (square logo), SQUARE TECHNOLOGY</p> <p>Toe: 460CC TITANIUM, (loft) (in oval)</p> <p>Heel: RAM (with R in circle)</p> <p>Crown: R (in square)</p> <p>※ View Photo</p>
Ram Golf	Ram QUB3 Pro (LH)	10.5°	<p>Sole: QUB3, PRO, (square logo), SQUARE TECHNOLOGY</p> <p>Toe: 460CC TITANIUM, (loft) (in oval)</p> <p>Heel: RAM (with R in circle)</p> <p>Crown: R (in square)</p> <p>※ View Photo</p>
Ram Golf	Ram QUB3	12°	<p>Sole: QUB3, PRO, (square logo),</p>

	Pro (Ladies)		<p>SQUARE TECHNOLOGY Toe: 460CC TITANIUM, (loft) (in oval) Heel: RAM (with R in circle) Crown: R (in square) ✻ View Photo</p>
Raven Golf	Tour Spec TM-4300 (LH)	N/A	<p>Sole: RAVEN (w/ V graphic and diamond), TOUR SPEC 1, TM-4300, (five circular weights) Face: SP-700 ✻ View Photo</p>
Razor Golf	John Boy & Billy Big Show	N/A	<p>Sole: 1, (curved line), THE BIG, (curved line), JOHN BOY & BILLY, (curved line), SHOW, (curved line), DUH HUH Back: (recessed circular weight), (recessed circular weight) Toe: Engineered by, Razor (w/ "o" golf ball graphic), (curved graphic), PLAY THE EDGE, Golf (w/ tm in "G") Face: Beta Ti ✻ View Photo</p>
Royaltee Golf	BT23	9.5°,11.5°	<p>Sole: BT23, BETA TITANIUM, (Cadillac logo on circular insert), Royaltee, 1(loft), 420CC Crown: (R logo alignment mark) ✻ View Photo</p>
Saso	MR ² Square Pro	10.5° (click "view photo" for conforming version)	<p>Sole: mr², (line), square, PRO, (Saso logo), SASO, 1, (I=$\int \int \int \Delta m r^2 m_x m_y m_z$ through 1), (loft) ✻ View Photo</p>
Seiko S-Yard Co., Ltd.	S-Yard T9	10°, 11°	<p>Sole: S-YARD, DRIVER, T9, -(loft)- Crown: (arrow alignment mark) ✻ View Photo</p>
Seiko S-Yard Co., Ltd.	S-Yard T9 BL	10°	<p>Sole: T9 BL, DRIVER, S-YARD 1, Forged Titanium, -(loft)- ✻ View Photo</p>
Seiko S-Yard Co., Ltd.	S-Yard T9 FAO.5	9°, 10° (click "view photo" for conforming version)	<p>Sole: S-YARD, DRIVER, T9, FAO.5, Forged Titanium, -(loft)- Crown: (arrow alignment mark) ✻ View Photo</p>

Seiko S-Yard Co., Ltd.	S-Yard TX-1	9°,10°,11° (click "view photo" for conforming version)	Sole: TX-1, DRIVER, S-YARD, FORGED TITANIUM, LOFT (loft) Crown: (arrow alignment mark) ※ View Photo
Seiko S-Yard Co., Ltd.	S-Yard TX-2	9°,10°,11° (click "view photo" for conforming version)	Sole: TX-2, DRIVER, S-YARD, FORGED TITANIUM, LOFT (loft) Crown: (arrow alignment mark) ※ View Photo
Seiko S-Yard Co., Ltd.	S-Yard Exelight	10.5°,13°	Sole: Exelight, DRIVER, Nano-Technology, Titanium, (Tungsten in oval), (circular weight insert), (S-YARD on oval insert), (circular weight insert) Toe: (S logo) Crown: (alignment mark) ※ View Photo
Sigma Golf (UK), Ltd.	PGA Pro Collection	10.5°	Sole: HCF, PGA, Pro, 1, Collection, (line), B-Titanium, (loft) Crown: (alignment mark) ※ View Photo
Sigma Golf (UK), Ltd.	Power Play System Q Tri-Port	9°,10.5°,12°	Sole: 460cc (loft), SYSTEM, Q, TRI-PORT Toe: Power Play, FADE Heel: DRAW Face: TI460 Crown: (alignment mark) ※ View Photo
Simpac Golf	S-Cube D1 460cc	9°,10°,11°	Sole: (S graphic in hexagon), S-Cube, D1, (circular weight in port), 460cc, (line), Beta Titanium, (loft), (circular weight in port) Toe: SIMPAC Crown: (S graphic in hexagon alignment mark) ※ View Photo
Slazenger Golf	K1 Speed	10° (click "view photo" for conforming version)	Sole: (Slazenger logo), Slazenger, K1, SPEED, KNIFE, technology Toe: HRC FORGED TA4, 460, CC, TITANIUM Heel: (loft) Face: K1 ※ View Photo

Slazenger Golf	K1 Speed (Ladies)	12° (click "view photo" for conforming version)	Sole: (Slazenger logo), Slazenger, K1, SPEED, KNIFE, technology Toe: HRC FORGED TA4, 460, CC, TITANIUM Heel: (loft) Face: K1 ✦ View Photo
SMT Golf	455 Deep Bore	4°,5° (click "view photo" for conforming version)	Sole: (loft), ((455, DEEP BORE, SMT) over unfinished sideways broken D graphic), VACUUM FORGED β TITANIUM ✦ View Photo
SMT Golf	455 Deep Bore	4° (click "view photo" for conforming version)	Sole: (loft), ((455, DEEP BORE, SMT) over unfinished sideways broken D graphic), VACUUM FORGED β TITANIUM Toe: 384, (YDS in vertical alignment), (WORLD CHAMPION in banner), LONG DRIVE ✦ View Photo
Sonartec, Inc.	Royal Collection Super CV B.B.D Type-H	7°,8°,9°,10° (click "view photo" for conforming version)	Sole: SUPER CV, B.B.D, <<Type-H>>, ROYAL COLLECTION, 1, WORLDWIDE, PATENTED, (loft) ✦ View Photo
Sports Network Pte Ltd	Slazenger Tour Select TS 858	10.5°	Sole: 1, (loft), 460CC, TOUR SELECT, TS858, (panther logo), (line), Slazenger, (line) Face: Beta Ti Crown: (panther logo alignment mark) ✦ View Photo
Stadium AB	DT 893	9.5°,11°	Sole: 4D, (3 lines)(4 dots)(3 lines), DT893, (loft) Toe: (line) 460 (line) Back: (TPT in hexagon) ✦ View Photo
Straight 8 Golf	Straight 8 500cc	9°	Sole: (loft), STRAIGHT 8, O.G.S. TECHNOLOGY, FORGED TITANIUM ✦ View Photo
Sumitomo Rubber Industries, Ltd./SRI Sports	Dunlop XXIO Prime AX-Sole	10°,11.5°	Sole: XXIO, -PRIME-, (loft), FORGED, β Ti-Face 1, AX-SOLE Toe: (triangle insert), Digital, Impact, (line), DUNLOP

Crown: (arrow alignment mark)

※ [View Photo](#)

Sumitomo Rubber Industries, Ltd./SRI Sports Dunlop XXIO Prime Impact Power Face (Heavyweight) 10.5°,11.5°

Sole: TITANIUM, XXIO, -PRIME-, DRIVER (loft)

Toe: (oval insert), IMPACT, POWER, FACE

Crown: (arrow alignment mark)

※ [View Photo](#)

Sumitomo Rubber Industries, Ltd./SRI Sports Dunlop XXIO Prime Impact Power Face (Lightweight) 10.5°,11.5°

Sole: TITANIUM, XXIO, -PRIME-, DRIVER (loft).

Toe: (oval insert), IMPACT, POWER, FACE

Crown: (arrow alignment mark)

※ [View Photo](#)

Sumitomo Rubber Industries, Ltd./SRI Sports XXIO Prime Impact Power Body 10.5°,11.5°

Sole: DIGITAL COMPOSITE, XXIO, -PRIME-, DRIVER (loft), (IMPACT POWER BODY on eye-shaped insert)

Toe: (DIGITAL, IMPACT, (two dots) on oval insert)

Back: TITANIUM+Mg+CFRP

Crown: (arrow alignment mark)

※ [View Photo](#)

Sumitomo Rubber Industries, Ltd./SRI Sports Twin AX-Sole XXIO 8°,9°,10°,11°,12°
(click "view photo" for conforming version)

Sole: TWIN, AX-SOLE, XXIO, 1, (loft), TITANIUM

Toe: (oval insert), IMPACT, POWER, FACE

Crown: (arrow alignment mark)

※ [View Photo](#)

Sumitomo Rubber Industries, Ltd./SRI Sports Twin AX-Sole XXIO Tour Model 8°,9°,10°
(click "view photo" for conforming version)

Sole: TWIN, AX-SOLE, XXIO, 1, (loft), TITANIUM.

Toe: (oval insert), IMPACT, POWER, FACE

※ [View Photo](#)

Sumitomo Rubber Industries, Ltd./SRI Sports XXIO Impact Power Body 8°,9°,10°,11°,12°
(click "view photo" for conforming version)

Sole: XXIO, IMPACT POWER BODY (through ellipse graphic), (loft), 1, (three punchmarks) (DIGITAL IMPACT, (two raised dots) on rounded triangular insert) (three punchmarks)

Face: (no score lines in the center)

Toe: XXIO, (line)

BREAKTHROUGH (line), FOR FUTURE OF GOLF

Crown: (arrow alignment mark)

※ [View Photo](#)

Sumitomo Rubber Industries, Ltd./SRI Sports	XXIO Hard Spec Impact Power Body	8°,9°,10°	<p>Sole: XXIO, IMPACT POWER BODY (through ellipse graphic), (loft), 1, (three punchmarks) (DIGITAL IMPACT, (two raised dots) on rounded triangular insert) (three punchmarks)</p> <p>Toe: XXIO, (line) BREAKTHROUGH (line), FOR FUTURE OF GOLF</p> <p>» View Photo</p>
Sumitomo Rubber Industries, Ltd./SRI Sports	Srixon W-201	8°,9°,10° (click "view photo" for conforming version)	<p>Sole: (loft), 1, SRIXON, (line under S), W-201, -SP700 FACE-, TRAJECTORY CONTROL</p> <p>Toe: Srixon, (line under S)</p> <p>» View Photo</p>
Sumitomo Rubber Industries, Ltd./SRI Sports	Srixon W-302	7.5°,8.5°,9.5°,10.5° (click "view photo" for conforming version)	<p>Sole: SRIXON, (line under S), W-302, (loft), TRAJECTORY CONTROL, TITANIUM</p> <p>Toe: Srixon, (line under S)</p> <p>Heel: COR exceeding .83</p> <p>» View Photo</p>
Sumitomo Rubber Industries, Ltd./SRI Sports	Srixon W-403 AD	9.5°,10.5°,11.5° (click "view" photo for conforming version)	<p>Sole: SRIXON, (line under S), W-403, AD, 1, (loft)</p> <p>Back: TITANIUM, ACCURACY, & DISTANCE</p> <p>Toe: Srixon, (line under S)</p> <p>» View Photo</p>
Sumitomo Rubber Industries, Ltd./SRI Sports	Srixon W-404	8.5°,9.5°,10.5° (click "view photo" for conforming version)	<p>Sole: TRAJECTORY CONTROL, SRIXON, (line under S), W-404, (loft), TITANIUM</p> <p>Toe: Srixon, (line under S)</p> <p>» View Photo</p>
Sumitomo Rubber Industries, Ltd./SRI Sports	Hi-Brid CF 1	9°,10°,11°,12°	<p>Sole: TITANIUM 1 (loft), (curved line), (logo in oval), HI-BRID, - CF 1-</p> <p>Toe: (three triangles in recessed triangle insert), ARCH, BULGE, (line), DESIGN</p> <p>Crown: (arrow alignment mark)</p> <p>» View Photo</p>
Sumitomo Rubber Industries, Ltd./SRI Sports	Hi-Brid Adforce	9°,10°,11°,12°	<p>Sole: HI-BRID, ADFORCE, (loft) 1, IMPACT POWER BODY, (DIGITAL IMPACT, (seven curved lines) on eye-shaped insert)</p>

			<p>Toe: (eye-shaped logo), HI-BRID, (line), WIDE SWEET AREA DESIGN</p> <p>Back: TUNGSTEN (circular weight insert) WEIGHT</p> <p>Crown: (arrow alignment mark)</p> <p>※ View Photo</p>
Sun Valley Golf	White Gold 380cc	9°,10.5°,12°	<p>Sole: (loft), β-TI 1, SVG, WHITE, GOLD</p> <p>Crown: (arrow and dot alignment mark)</p> <p>※ View Photo</p>
Swing Sync, USA	Swing Sync	10.5° (click "view photo" for conforming version)	<p>Sole: Beta Ti, Face, Swing, Sync, SINGLE FREQUENCY, SYSTEM, (loft), LOFT</p> <p>Crown: (arrow and dot alignment mark)</p> <p>※ View Photo</p>
Synergy Golf International, Inc.	MT-360	8.5°,9.5°	<p>Sole: (Synergy logo), SYNERGY, MT 360, SP-700 Titanium</p> <p>Face: (Synergy logo) (loft), MWCL FACE</p> <p>Toe: (swinging golfer graphic) TOPPOINT®, (line)</p> <p>Crown: (swinging golfer graphic)</p> <p>※ View Photo</p>
TaylorMade Golf Co.	R300	7.5°,8.5°,9.5° (click "view photo" for conforming version)	<p>Sole:TaylorMade (with Taylor Made logo T), (line), R300 Ti, (loft)</p> <p>Crown: (TaylorMade logo alignment mark)</p> <p>※ View Photo</p>
TaylorMade Golf Co.	R320	8.5°,9.5°,10.5°,12° (click "view photo" for conforming version)	<p>Sole:TaylorMade (with Taylor Made logo T), (line), R320 Ti, (loft)</p> <p>Crown: (TaylorMade logo alignment mark)</p> <p>※ View Photo</p>
TaylorMade Golf Co.	R360	8.5°,9.5°,10.5°,12° (click "view photo" for conforming version)	<p>Sole:TaylorMade (with Taylor Made logo T), (line), R360 Ti, (loft)</p> <p>Crown: (TaylorMade logo alignment mark)</p> <p>※ View Photo</p>

TaylorMade Golf Co.	R300 Tour	8.5°,9.5° (click "view photo" for conforming version)	Sole: TOUR, TaylorMade (with Taylor Made logo T), (line), R300 Ti, (loft) Crown: (TaylorMade logo alignment mark) ※ View Photo
TaylorMade Golf Co.	R320 Tour	8.5°,9.5° (click "view photo" for conforming version)	Sole: TOUR, TaylorMade (with Taylor Made logo T), (line), R320 Ti, (loft) Crown: (TaylorMade logo alignment mark) ※ View Photo
TaylorMade Golf Co.	R510	7.5°,8.5°,9.5°,10.5° (click "view photo" for conforming version)	Sole: R510 , (line), TaylorMade (with Taylor Made logo T), (loft), (weight inserts) Face: (no score lines in the center) Crown: (TaylorMade logo alignment mark) Toe: TITANIUM ※ View Photo
TaylorMade Golf Co.	R540	7.5°,8.5°,9.5°,10.5°,12° (click "view photo" for conforming version)	Sole: R540 , (line), TaylorMade (with Taylor Made logo T), (loft), (weight inserts) Face: (no score lines in the center) Crown: (TaylorMade logo alignment mark) Toe: TITANIUM ※ View Photo
TaylorMade Golf Co.	R580	7.5°,8.5°,9.5°,10.5°,12° (click "view photo" for conforming version)	Sole: R580 , (line), TaylorMade (with Taylor Made logo T), (loft), (weight inserts) Face: (no score lines in the center) Crown: (TaylorMade logo alignment mark) Toe: TITANIUM ※ View Photo
TaylorMade Golf Co.	R360 XD	8.5°,9.5°,10.5°,11.5° (click "view photo" for conforming version)	Sole: TaylorMade (with Taylor Made logo T), (line), R360 XD , (loft) Face: (no score lines in the center) Crown: (TaylorMade logo alignment mark) Toe: TITANIUM ※ View Photo
TaylorMade Golf Co.	R540 XD	8.5°,9.5°,10.5°,12°	Sole: R540 XD , (line), TaylorMade (with Taylor Made logo T), (loft),

		(click "view photo" for conforming version)	(weight inserts) Face: (no score lines in the center) Crown: (TaylorMade logo alignment mark) Toe: TITANIUM * View Photo
TaylorMade Golf Co.	R580 XD	8.5°,9.5°,10.5°,12° (click "view photo" for conforming version)	Sole: R580 XD, (line), TaylorMade (with Taylor Made logo T), (loft), (weight inserts) Face: (no score lines in the center) Crown: (TaylorMade logo alignment mark) Toe: TITANIUM * View Photo
TaylorMade Golf Co.	Burner 860	8.5°,9.5°,10.5°	Sole: TaylorMade (with Taylor Made logo T), BurneR, (line), 860, (loft), TI Face: (no score lines in the center) Crown: (TaylorMade logo alignment mark) * View Photo
TaylorMade Golf Co.	XR-03	8.5°,9.5°,10.5°, 11.5°,12.5°	Sole: (loft),(Taylor-Made logo T), (line), XR-03 * View Photo
TaylorMade Golf Co.	XR-05	8.5°,9.5°,10.5°, 11.5°,12.5°	Sole: (loft), XR•05, (T logo surrounded by six dots within four-sided crescent insert) * View Photo
TaylorMade Golf Co.	XR-05 Special Edition	9.5°,10.5°,11.5°	Sole: (loft), XR•05, (T logo surrounded by six dots within four-sided crescent insert) Toe: Special Edition (in script) * View Photo
TaylorMade Golf Co.	XR-05 Cti	8.5°,9.5°,10.5°,11.5°	Sole: (loft), XR•05, Cti, (T logo surrounded by six dots within four-sided crescent insert) Toe: TITANIUM, (line with two horizontal lines at each end), COMPOSITE * View Photo
TaylorMade Golf Co.	r7 Quad	7.5°,8.5°,9.5°,10.5°,11.5° (click "view photo" for conforming version)	Sole: r7 quad, (line), TaylorMade (with Taylor Made logo T) Back: (loft) Face: Max

			Crown: (alignment mark) Toe: TITANIUM ✧ View Photo
TaylorMade Golf Co.	r7 XR	9.5°,10.5°,11.5°	Sole: r7, TaylorMade (with T logo), (weight insert) (XR on insert) (weight insert) Toe: TITANIUM Heel: (loft) Face: Max Crown: (alignment mark) Toe: TITANIUM ✧ View Photo
TaylorMade Golf Co.	r7 XR (Ladies)	13°,11.5°,15°	Sole: r7, TaylorMade (with TaylorMade T logo), (weight insert) (XR on insert) (weight insert) Heel: (loft) Face: Max Crown: (alignment mark) Toe: TITANIUM ✧ View Photo
Team Yoshimura Co.	Tour Project W-One	10°	Sole: (W-ONE, COMPOSITE, COMPOSITE in circle), (line in circle)), TOUR PROJECT, (line), TITANIUM & CARBON, (1 in circle) ✧ View Photo
Tiger Sports, Inc.	Integra SooLong II	7.5°,9°, 10.5°,12°,14°	Sole: INTEGRA, SOOOLONG, II, BI-FACE TECHNOLOGY, US PATENT:465535, 1 (loft), β-TI ✧ View Photo
Tokai Golf Co. Ltd.	MajorLand MXP-410	10.5°	Sole: MajorLand, MXP-410, CARBON & TITANIUM, COMPOSITION, 1, (loft), (line) Toe: (M logo), MXO-410, CARBON & TITANIUM, COMPOSITION Heel: -FORGED TITANIUM- ✧ View Photo
Tokai Golf Co. Ltd.	St. Andrews - The Traditional (LH)	10.5°	Sole: St.Andrews, The Traditional, 1, -(loft)-, FORGED TITANIUM Back: FORGED 410 Toe: St.Andrews, The Traditional, 410 ✧ View Photo

Tom Wishon Golf Technology	515 GRT 395cc	11°	<p>Sole: (loft), (line), 515 GRT, (line), 395cc, 0 ROLL, TECHNOLOGY, Wishon, Golf</p> <p>Face: βTI</p> <p>※ View Photo</p>
Tom Wishon Golf Technology	525 GRT 460cc	11°	<p>Sole: (loft), (line), 525 GRT, (line), 460cc, GRT FACE, TECHNOLOGY, Wishon, Golf</p> <p>Toe: (Wishon logo), MILLED CROWN</p> <p>※ View Photo</p>
Tom Wishon Golf Technology	730 CL 400 High Launch	N/A	<p>Sole: 730 CL, (line), High Launch, DRIVER, 400cc, Titanium, Wishon, Golf</p> <p>Toe: (Wishon Golf logo)</p> <p>Crown: (triangle and line alignment mark)</p> <p>※ View Photo</p>
Tom Wishon Golf Technology	919 THI Offset	11°	<p>Sole: (curved line), 919 THI, (curved line), (loft), High MOI, (curved line), Wishon, Golf</p> <p>Back: (Wishon Golf logo)</p> <p>Toe: ((star), CERTIFIED, (star), MOI, 5000-5400 in oval)</p> <p>※ View Photo</p>
Tom Wishon Golf Technology	949 MC 460 High Launch	N/A	<p>Sole: HIGH LAUNCH, (line), 949 MC, (line), 460cc, Wishon, Golf</p> <p>Toe: (Wishon Golf logo), MILLED CROWN</p> <p>Crown: (triangle and line alignment mark)</p> <p>※ View Photo</p>
Toppoint Corporation	MXX	10.5°	<p>Sole: (loft), MXX, DAT 55G (+ in box), 460cc</p> <p>Back: X</p> <p>Toe: MXX</p> <p>Face: βeta Ti</p> <p>Crown: MXX</p> <p>※ View Photo</p>
Tour Edge Golf	Bazooka 350 Ji High C.O.R.	8°,9°,10°,11°	<p>Sole: (golf club logo) Tour/Edge, (line), (loft), BAZ(+ over O)OKA, (line), FORGED BETA Ti, 350 Ji, HIGH C.O.R. .86</p> <p>Toe: (Tour Edge logo)</p> <p>Crown: (Tour Edge logo alignment mark)</p>

			<p>✦ View Photo</p>
Tour Golf Products	TOURWOOD Beta TITANIUM	9°	<p>Sole: TOURWOOD, 400, Beta, TITANIUM, 1 (loft)</p> <p>✦ View Photo</p>
Tour Golf Products	TOURWOOD SWBII	9°	<p>Sole: 520cc, SWBII, TOURWOOD, (loft), STRENGTH · ELASTICITY, SP700</p> <p>✦ View Photo</p>
Traditional Sports Ltd.	JM 410 Force	10.5°	<p>Sole: (JM 410 Force, (line), C-Face Technology over JM media blast), 1 (loft), β-TITANIUM</p> <p>Toe: JM</p> <p>Face: 15-3-3-3</p> <p>✦ View Photo</p>
Trophy Sports	TF 505	8°, 10°	<p>Sole: TF 505 SERIES, TRAMPOLINE FACE, (omega symbol)TITANIUM, (loft)</p> <p>✦ View Photo</p>
Trophy Sports	Integra SoooLong 450R	4°,6°,9°,10.5° (click "view photo" for conforming version)	<p>Sole: INTEGRA, S(three "O" gauge graphics)LONG, β-TITANIUM, 450R, 1 (loft)</p> <p>✦ View Photo</p>
Trophy Sports	Integra SoooLong 450R	6°,7.5°	<p>Sole: INTEGRA, S(three "O" gauge graphics)LONG, β-TITANIUM, 450R, US PATENT:465535, 1 (loft)</p> <p>Toe: INTEGRA</p> <p>✦ View Photo</p>
Trophy Sports	Integra Tour 450cc	9°,10°,12°	<p>Sole: TOUR, (obtuse triangle with two lines), β-Ti, 450CC, (five mock Phillips screws), (loft)</p> <p>Crown: (arrow and dot alignment mark)</p> <p>✦ View Photo</p>
TruPath Golf	BAD BOY 400cc	10°	<p>Sole:BAD BOY , (Bad Boy logo), SERIES , (loft), FORGED TITANIUM 400CC</p> <p>Toe: TruPath Golf</p> <p>✦ View Photo</p>
TTO Corporation	GMA Royal Star Rega	N/A	<p>Sole: 1, Royal Star, (logo), REGA (in shape)</p>

			<p>Toe: GMA, (logo) ✦ View Photo</p>
USP Brands, Ltd.	Progen Full Bore 2.3 375cc	12°	<p>Sole: (logo), TITANIUM, PROGEN, full bore 2.3, (loft), 375cc Crown: (alignment mark) ✦ View Photo</p>
USP Brands, Ltd.	Progen Full Bore 2.3 375cc Offset	10.5°	<p>Sole: (logo), TITANIUM, PROGEN, full bore 2.3, offset, (loft), 375cc Crown: (alignment mark) ✦ View Photo</p>
USP Brands, Ltd.	Progen Full Bore 2.3 420cc	10.5°	<p>Sole: (logo), TITANIUM, PROGEN, full bore 2.3, (loft), 420cc Crown: (alignment mark) ✦ View Photo</p>
USP Brands, Ltd.	Progen Full Bore M420 Ti	10.5°,12°	<p>Sole: full bore, M420 (underlined), Ti, (logo), DR 1 (loft) Toe: 15-3-3-3 Beta Titanium Crown: (alignment mark) ✦ View Photo</p>
USP Brands, Ltd.	Progen Full Bore M420 CCT Ti	10.5°	<p>Sole: (logo), full bore, M420 (underlined), CCT, DR 1 (loft) Toe: Carbon Crown Technology Crown: (alignment mark) ✦ View Photo</p>
USP Brands, Ltd.	Progen Full Bore M450 Ti	10.5°	<p>Sole: (logo), full bore, M450 (underlined), Ti, DR 1 (loft) Toe: SP700 Forged Titanium Crown: (alignment mark) ✦ View Photo</p>
US Tour	Titanium 400	9°	<p>Sole: US TOUR (registered trademark symbol), (line), TITANIUM, 400, ASR 920 HYPER TITAN-(loft) ✦ View Photo</p>
US Tour	ARK 400	12°	<p>Sole: (loft), (triangular plastic insert with US TOUR), PROVANTAGE, (curved line), US TOUR ARK, (curved line) 400, SUPER TOUR, (vertical line), (three circles with diamonds)</p>

Voco (UK) Ltd.	Bay Hill Plasma	11°,13°	<p>Crown: (arrow alignment mark) ✧ View Photo</p> <p>Sole: BAY, (logo), HILL, PLASMA (w/ A in triangle), 1, (loft), 460cc Back: BAY HILL PRO (logo) Crown: (arrow alignment mark) ✧ View Photo</p>
Vulcan Golf	Caldera Z460	11°	<p>Sole: (six hexagons), (loft), Forged Beta Titanium, 460cc .830cor, Caldera 460, VULCAN (w/ V flame logo), GOLF, (six hexagons) Back: (two hexagons), (two hexagons) Crown: (V flame logo alignment mark) ✧ View Photo</p>
Walk Golf GmbH	Phoenix HSS 380	10.5°	<p>Sole: Forged Titanium, (loft), WALK GOLF, (line), Phoenix, HSS 380, Anti-Torque-Insert Crown: WALK GOLF ✧ View Photo</p>
Walk Golf GmbH	Phoenix HSS 380 SL	13°	<p>Sole: Forged Titanium, SL, WALK GOLF, (line), Phoenix, HSS 380, Anti-Torque-Insert Crown: WALK GOLF ✧ View Photo</p>
Walk Golf GmbH	Phoenix HSS 380 (LH)	10.5°	<p>Sole: Forged Titanium, (loft), WALK GOLF, (line), Phoenix, HSS 380, Anti-Torque-Insert Crown: WALK GOLF ✧ View Photo</p>
Warrior Custom Golf	460 Ti	9°	<p>Sole: 460, (line), Ti, Warrior®, (spear graphic), CUSTOMGOLF.COM, (loft), EXT, WEIGHTING, (weight port) ✧ View Photo</p>
Williams Golf	CO ₂ Forged Ti 425	10° (click "view photo" for conforming version)	<p>Sole: (three punchmarks), CO2, FORGED TITANIUM, 425, (loft), (three punchmarks), ((semi-circle), WILLIAMS, (quarter circle) GOLF in oval insert) Face: 15-3-3-3 TI ✧ View Photo</p>

Wilson Japan, Inc.	Deep Red PF 350	9°,10.5°	<p>Sole: PF, 350 (loft), (W logo) Wilson, DEEP RED</p> <p>※ View Photo</p>
Wilson Japan, Inc.	Deep Red PF 400	9°,10.5°	<p>Sole: PF, 400 (loft), (W logo) Wilson, DEEP RED</p> <p>※ View Photo</p>
Wilson Japan, Inc.	Deep Red PF 450	9°,10.5°	<p>Sole: PF, 450 (loft), (W logo) Wilson, DEEP RED</p> <p>※ View Photo</p>
Works Co., Ltd.	Maximax	9°	<p>Sole: MAXIMAX, MAKE A MAXIMUM DISTANCE, FORGED TI, T.P.F. +HHP, (Works logo), WORKS, 1 335, (line), (loft)</p> <p>Face: TPF, (line), HHP</p> <p>※ View Photo</p>
Works Co., Ltd.	Dyna Super Force TiX Evolution	9.5°	<p>Sole: DYNA, SUPER FORCE, TiX, SPECIALIZED MATERIAL, EVOLUTION, (Works logo), WORKS, 1 (loft)</p> <p>Face: TPF, (line), HHP</p> <p>※ View Photo</p>
Works Co., Ltd.	Dyna Extreme 370	9°	<p>Sole: DYNA, EXTREME, TiX, hyper material, (Works logo), WORKS, PRO SPEC, 370, (line), (loft)</p> <p>※ View Photo</p>
Works Co., Ltd.	Dyna Exsior	9.5°,10.5°	<p>Sole: ULTRA 1.5, DYNA EXSIOR, FORGED TiX, (Works logo), WORKS, 360, (line), (loft)</p> <p>Back: Inner Back Gravity</p> <p>Toe: (Works logo)</p> <p>Face: TPF, HHP</p> <p>※ View Photo</p>
Works Co., Ltd.	Ultimaizer V-01	9.5°,10.5°,11.5°	<p>Sole: Hyper Repulsion 2.1-2.5-2.1, (ULTIMAIZER over V-01 graphic), SP-700 FORGED TI, TPF. + H.H.P., 400/(loft), (triangle) DRIVER(triangle), (Works logo), WORKS</p> <p>Toe: (Works logo)</p> <p>※ View Photo</p>

Works Co., Ltd.	Ultimaizer V-01R Pro Spec 460	6°,7°,8°,9°	<p>Sole: powerd by DAT55G+, ULTIMAIZER, (two lines)V-01R, (PROSPEC media blast), (Works logo)WORKS, 460/(loft), Triple Tuned Gravity, (circular weight)</p> <p>Back: (circular weight)(R on rectangle insert)(circular weight)</p> <p>Toe: (Works logo)W</p> <p>※ View Photo</p>
Yamaha Corporation	Femina 520	13°	<p>Sole: (1 in circle), Femina, 520., Yamaha</p> <p>Face: Hyper_Dual</p> <p>Crown: (alignment mark)</p> <p>※ View Photo</p>
Yamaha Corporation	Inpres D	9°,10°,11°	<p>Sole: (recessed circular insert with Yamaha logo), inpres D., (oval hosel insert)</p> <p>Back: FULL-BODY FORGED 15-5-3 β Ti FACE (loft)</p> <p>Toe: YAMAHA</p> <p>※ View Photo</p>
Yamaha Corporation	Inpres D Light Version	12°	<p>Sole: (recessed circular insert with Yamaha logo), inpres D., Light Version, (oval hosel insert)</p> <p>Back: FULL-BODY FORGED 15-5-3 β Ti FACE (loft)</p> <p>Toe: YAMAHA</p> <p>※ View Photo</p>
Yamaha Corporation	Inpres D Light	12.5°	<p>Sole: inpres D, (line), Light, (oval hosel insert)</p> <p>Back: FULL-BODY FORGED 15-5-3 (Yamaha logo) β Ti FACE (loft)</p> <p>Toe: YAMAHA</p> <p>※ View Photo</p>
Yamaha Corporation	Inpres D Over 0.870	9°,10°,11°	<p>Sole: inpres D, (line), Over 0.870, (circular weight insert)</p> <p>Back: FULL-BODY FORGED 15-5-3 (Yamaha logo) β Ti FACE (loft)</p> <p>Toe: YAMAHA</p> <p>※ View Photo</p>
Yamaha Corporation	Inpres D-FX	10°,11°	<p>Sole: inpres D-FX, (line), Over 0.870, (circular weight insert)</p> <p>Back: FULL-BODY FORGED 15-5-3 (Yamaha logo) β Ti FACE</p>

(loft)
Toe: YAMAHA
✦ [View Photo](#)

Yamaha Corporation	Inpres D 405	9°,10°,11°	Sole: inpres, Full-Body Forged, 15-5-3 β Ti FACE, 405D Toe: Yamaha Back: (Yamaha logo) Heel: (loft) ✦ View Photo
Yamaha Corporation	Inpres G	9°,10°,11° (click "view photo" for conforming version)	Sole: (recessed circular insert with Yamaha logo), inpres G., (oval hosel insert) Back: OPTIMUM COMPOSITE 2041 β Ti FORGED FACE (loft) Toe: YAMAHA ✦ View Photo
Yamaha Corporation	Inpres GRX	10.5°,11.5°	Sole: inpres, Full-Body Forged, 15-5-3 β Ti FACE, Over .880, GRX Toe: Yamaha Back: (Yamaha logo) Heel: (loft) ✦ View Photo
Yamaha Corporation	Inpres V	9°,10° (click "view photo" for conforming version)	Sole: (recessed circular insert with Yamaha logo), inpres V. Back: FULL-BODY FORGED 15-5-3 β Ti FACE (loft) Toe: YAMAHA ✦ View Photo
Yamaha Corporation	Inpres V Over 0.870	9°,10°	Sole: (recessed circular insert with Yamaha logo), inpres V, (line), Over 0.870 Back: FULL-BODY FORGED 15-5-3 β Ti FACE (loft) Toe: YAMAHA ✦ View Photo
Yamaha Corporation	Inpres V 350	9°,10°	Sole: inpres, Full-Body Forged, 15-5-3 β Ti FACE, 350V Toe: Yamaha Back: (Yamaha logo) Heel: (loft) ✦ View Photo
Yamaha Corporation	Inpres V-MX	10°,10.5°	Sole: inpres V-MX, (line), Over 0.870, (circular weight insert) Back: FULL-BODY FORGED 15-

			5-3 (Yamaha logo) β Ti FACE (loft) Toe: YAMAHA ※ View Photo
Yamaha Corporation	Inpres V-MX 380	9.5°,10.5°	Sole: inpres, Full-Body Forged, 15-5-3 β Ti FACE, 380V-MX Toe: Yamaha Back: (Yamaha logo) Heel: (loft) ※ View Photo
Yamaha Corporation	SECRET 01	9°,10°,11° (click "view photo" for conforming version)	Sole: SECRET 01, 1, (loft), YAMAHA Face: HYPER-DUAL Crown: (Y alignment mark) ※ View Photo
Yokohama Rubber Co., Ltd.	Reverse Titanium Type 310	9°	Sole: FORGED 1, β, Titanium •, (line), <i>Reverse</i> , Type 310, DATA WOOD, (line), PRGR Toe: H/S, Head Speed Heel: GROOVE, SURROUND ※ View Photo
Yokohama Rubber Co., Ltd.	PRGR Speed Titan	9°,10°	Sole: PRGR (logo) SPEED TITAN TR, FORGED, INNER POWER, (line), 1 Toe: PRGR Heel: LOFT (loft), INNER POWER ※ View Photo
Yokohama Rubber Co., Ltd.	TR 340 Duo	10.5°	Sole: TR 340, (line), Dual Composite, (figure eight), PRGR Toe: Duo, Dual(figure eight) Composite (in figure eight insert) ※ View Photo
Yokohama Rubber Co., Ltd.	TR 340 Duo	9°, 10.5°	Sole: LOFT (loft),TR 340, (line), Dual Composite, (figure eight), PRGR Toe: Duo, Dual(figure eight) Composite (in figure eight insert) ※ View Photo
Yokohama Rubber Co., Ltd.	TR-X 370 Duo	9°,10.5°	Sole: LOFT (loft),TR-X 370, (line), Dual Composite, (figure eight), PRGR Toe: Duo, Dual(figure eight) Composite (in figure eight insert)

Yokohama Rubber Co., Ltd.	TR-X 370 Duo Soft	11.5°,12.5°	<p>☛ View Photo</p> <p>Sole: LOFT (loft),TR-X 370, (line), Dual Composite, (figure eight), PRGR Back: (SOFT-CFRP in oval) Toe: Duo, Dual(figure eight) Composite (in figure eight insert) ☛ View Photo</p>
Yokohama Rubber Co., Ltd.	TR-X 405	9°,10.5°,11.5°,12.5°	<p>Sole: LOFT (loft),TR-X, type 405, (circular weight insert), Dual (figure eight) Composite, PRGR Toe: Duo, Dual(figure eight) Composite, Soft-CFRP ☛ View Photo</p>
Yokohama Rubber Co., Ltd.	TR-X Duo Compression	9°,10.5°,11.5°	<p>Sole: (loft),TR-X Duo, Compression, PRGR Toe: Duo, Compression, 2 Back: Head Compression Regular ☛ View Photo</p>
Yokohama Rubber Co., Ltd.	TR Duo Compression	9°,10.5°	<p>Sole: (loft),TR Duo, Compression, PRGR Toe: Duo, (line), Compression, 2 Back: Head Compression Hard ☛ View Photo</p>
Yonex Corporation	REXKING EX	10.5°	<p>Sole:REXKING EX , (Yonex logo), 1 (loft), (circle) YONEX Face: MUSCLE, POWER FACE ☛ View Photo</p>
Yonex Corporation	Cyber Star 3000	9°	<p>Sole: (crescent), 1 (loft), CYBER STAR , 3000, (circle), (Yonex logo), YONEX Face: MUSCLE, POWER FACE Crown: (Yonex logo alignment arrow) ☛ View Photo</p>
Yonex Corporation	Cyber Star 3000	10°	<p>Sole: (crescent), 1 (loft), CYBER STAR , 3000, (Yonex logo), YONEX, (circle) Heel: (line) TUNGSTEN BALANCED (line) Face: MUSCLE, POWER FACE ☛ View Photo</p>
Yonex Corporation	Cyber Star 3000	8.5°	<p>Sole: (crescent), CYBER STAR , 3000, (circle), (Yonex logo),</p>

YONEX

Heel: (line) TUNGSTEN

BALANCED (line), LOFT (loft)

Face: MUSCLE, POWER FACE

» [View Photo](#)

Yonex Corporation	Cyber Star 3000 Spec 360	10° (click "view photo" for conforming version)	Sole: (crescent), 1 (loft), CYBER STAR , 3000, SPEC , 360, (circle), (Yonex logo), YONEX Heel: (line) TUNGSTEN BALANCED (line) Face: MUSCLE, POWER FACE » View Photo
Yonex Corporation	Cyber Star 3000 Spec 400	10°	Sole: 1 (loft), CYBER STAR , 3000, SPEC 400, (circle), (Yonex logo), YONEX Heel: (line)TUNGSTEN BALANCED(line) » View Photo
Yonex Corporation	Cyber Star 5000 Spec 355	10° (click "view photo" for conforming version)	Sole: (loft), (Yonex logo) YONEX, (circle), CYBER STAR , 5000, SPEC 355 » View Photo
Yonex Corporation	Cyber Star 5000 Spec 385	10° (click "view photo" for conforming version)	Sole: (loft), (Yonex logo) YONEX, (circle), CYBER STAR , 5000, SPEC 385 » View Photo
Yonex Corporation	Cyber Star Grand Spec 380	10.5° (click "view photo" for conforming version)	Sole: (crescent), 1 (loft), CYBER STAR , Grand, (circle), (Yonex logo), YONEX Back: SPEC 380 » View Photo
Yonex Corporation	Cyber Star Grand Spec 410	10.5° (click "view photo" for conforming version)	Sole: (crescent), 1 (loft), CYBER STAR , Grand, (circle), (Yonex logo), YONEX Back: SPEC 410 » View Photo
Yonex Corporation	Cyber Star Grand Spec 450	10.5°	Sole: (crescent), 1 (loft), CYBER STAR , Grand, (circle), (Yonex logo), YONEX Back: SPEC 450 » View Photo
Yonex Corporation	Cyber Star Power Brid	10.5°,11.5°	Sole: CYBERSTAR, POWER BRID, (oval), (loft)

(click "view photo" for conforming version)

Toe: ((Yonex logo) YONEX in recessed rectangle)

※ [View Photo](#)

Yonex Corporation

Cyber Star Power Brid RX

9.5°,10.5°

Sole: CYBERSTAR, POWER BRID, RX (oval), (loft)

Toe: ((Yonex logo) YONEX in recessed rectangle)

※ [View Photo](#)

Yonex Corporation

Cyberstar Nanov (Version 1)

11°

Sole: CYBERSTAR, NANOV, 1 (loft)

Toe: (logo) Yonex

Heel: CONFORMING TO, R&A/USGA RULE

※ [View Photo](#)

Yonex Corporation

V-Mass 400 SE+ Spec 350

9°,10.5°,12°

(click "view photo" for conforming version)

Sole: 1 (loft), V-mass, 400SE+, (Yonex logo), YONEX, (arrow graphic), (circular weight insert)

Back: SPEC 350cc (space) TITANIUM

Toe: (segmented line), (segmented line), (line), MUSCLE•POWER, FACE (line), (segmented line), (segmented line), (line)

Crown: (Yonex logo alignment mark)

※ [View Photo](#)

Yonex Corporation

V-Mass 400 SE+ Spec 400

9°,10.5°,12°

Sole: 1 (loft), V-mass, 400SE+, (Yonex logo), YONEX, (arrow graphic), (circular weight insert)

Back: SPEC 400cc (space) TITANIUM

Toe: (segmented line), (segmented line), (line), MUSCLE•POWER, FACE (line), (segmented line), (segmented line), (line)

Crown: (Yonex logo alignment mark)

※ [View Photo](#)

Yonex Corporation

V-Mass 400FL SE+ Spec 350

12°

Sole: 1 (loft), V-mass, 400FL SE+, (Yonex logo), YONEX, (arrow graphic), (circular weight insert)

Back: SPEC 350cc (space) TITANIUM

Toe: (segmented line), (segmented line), (line), MUSCLE•POWER, FACE (line), (segmented line), (segmented line), (line)

Crown: (Yonex logo alignment mark)

mark)

⌘ [View Photo](#)

Zodia

Redeye

9.5°

Sole: Zodia, (eight allen screws and (8, SCREW in circle) within circle, Redeye, 1 (loft)

⌘ [View Photo](#)

Text in parenthesis () indicate loft, symbols or logos, but are not actual text, commas indicate a line change.

Copyright 2010 United States Golf Association. All rights reserved.